



# CT

2020  
PRODUCT  
GUIDE

## CHECK OUT WHAT'S NEW FOR 2020

According to the Centers for Disease Control and Prevention in the USA, the number of new cancer cases will rise by nearly 24% for men and 21% for women in 2020 (compared to 2010). This rising prevalence of cancer and cardiovascular diseases creates a greater need for computed tomography (CT) scanning devices and equipment. The global CT market is expected to grow at a rate of 3.9% through 2022.

Techno-Aide is focused on this expanding market for 2020 and ready to provide the right solution for nearly every need. With a continued focus on accessories, patient comfort and safety, Techno-Aide is here to help you at every turn! Shop this catalog to see the best options to meet any and all daily needs.

### Key Categories in CT for 2020 |

**Protection for Technologists and Patients | PGS.26-39**

**Badge Boards and Apron Racks | PGS. 13, 40-43**

**Positioning Sponges and Immobilization Devices | PGS. 14-17, 22-23**

**Table Slickers and Cushions | PGS.17-21**

**Blanket Warmers | PG.2**

**Narcotics Lockers | PG.3**

**Stools and Console Chairs | PGS5-7**

**Signage and Tubular Accessories | PG.11-12**

**Storage Carts | PG.12**

**Phlebotomy Chairs | PG.9**

## Portable Blanket Warmer Bags

With AC or 12V Power Supplies

Designed for radiology and CT departments, these specially insulated blanket holders keep blankets warm. The durable and washable nylon exterior bag features a handy hook and loop closing flap. The removable interior heating elements keep the temperature at a steady 130° - 140°F when plugged into an optional, low voltage power supply. These lightweight and portable bags are designed and assembled in the USA and come with a 1-year warranty.



**HOLDS 2-3 BLANKETS**

- #BWS-03-AC
- #BWS-03-DC
- #BWS-03-CB

Call for pricing

**HOLDS 4-5 BLANKETS**

- #BWS-05-AC
- #BWS-05-DC
- #BWS-05-CB

Call for pricing

**HOLDS 6-7 BLANKETS**

- #BWS-07-AC
- #BWS-07-DC
- #BWS-07-CB

Call for pricing

**Power Options**  
 Choose between an AC Adapter (AC), DC Adapter (DC) or both (CB)!

## Blanket Warmer Cabinets

Designed for radiology and CT centers. These stainless steel blanket warmers are adjustable from 98° to 180°F (37° to 82°C) with the help of an intelligent 4-digit LED controller. With no moving parts and an audio-visual temperature alarm, these heavy duty units are designed for safety and built to last. All three units come with hospital grade power cords. The two largest units include locking casters. Operational at either 120VAC or 220VAC. All units are UL & CSA approved.



**COUNTERTOP UNIT**

Holds 7 bed sized blankets.  
 16" x 24" x 20"  
 70 lbs.

#BW-210  
 Call for pricing

**SHORT CABINET**

Holds 25 bed sized blankets.  
 22" x 29" x 40"  
 170 lbs.

#BW-710  
 Call for pricing

**TALL CABINET**

Holds 50 bed sized blankets.  
 22" x 29" x 70"  
 350 lbs.

#BW-1400  
 Call for pricing

## Contrast Warmer

This model features a solid locking door and an easy to see, LCD temperature display. Each warmer is constructed using a high-grade aluminum interior and a cold-rolled, powder-coated, steel exterior. All models are supplied with both a fixed bottom shelf and an adjustable shelf. The heating element is located behind the back panel of the unit to provide uniform heat and excellent utilization of space.

### CW-201 |

<b>Electrical</b>	115 volt/50-60 Hz or 230volt/50-60 Hz
<b>Temp Range</b>	Ambient +5°C to 60°C
<b>Stability</b>	@ 37°C ±1.5°C
<b>Uniformity</b>	@ 37°C ±1°C
<b>Weight</b>	22 lb./10 kg

### Chamber

Volume	0.8 cu. ft.
Dimensions (in)	1.5 x 12 x 10.5
Dimensions (cm)	29.2 x 30.5 x 26.7

### Overall Dimensions

Area	1.7 ft. <sup>2</sup>
Dimensions (in)	13 x 14 x 16.25
Dimensions (cm)	33 x 35.6 x 41.3



## Medium Narcotics Locker

Medium size stainless steel narcotics locker designed to federal standards. Can be wall mounted or placed inside another cabinet. Features a single door with two individually keyed core locks. Keys cannot be removed in the unlock position. Welded heavy guage, double wall reinforced construction. Full height piano hinge with welded pin. One shelf, height adjustable. Optional door switch activates optional remote warning light when door is open.

### #TANL-10 |

15"(W) x 11"(H) x 9"(D)



Can be wall mounted or placed in another cabinet!



## Large Narcotics Locker

Large size stainless steel narcotics locker designed to federal standards. Features two doors (one behind the other). Each door has an individually keyed core lock. Keys cannot be removed in the unlock position. Outer door cannot be closed if key is left in inner door. Welded heavy guage double wall reinforced construction. Full height piano hinge with welded pin. Three shelves, height adjustable. Optional door switch activates optional remote warning light when door is open.

### #TANL-20 |

18"(W) x 30"(H) x 12"(D)



## CT/PET Resting Chair

Keep your patients comfortable with the right injecting/resting chair for your facility. This recliner comes in a beautifully designed package. Ideal for environments where patients need to sit and relax for long periods of time, such as Oncology and PET Centers. This recliner makes the care, treatment, and recovery of patients more comfortable in an array of clinical settings. Upholstered arm option is also available to replace currently shown wood arms. Features high density foam in the seat, back and armrests for maximum patient comfort. Recliner mechanism features dual gas cylinders for a smooth power assistance during back adjustment and Trendelenburg activation.

#CMT-IC07 | Call for pricing

Size	Seat	Overall	Capacity
Height	21.5"	50"	450 lbs
Width	20.5"	33"	
Depth	23.5"	36"	



### Comfort Step Platform

Mounted to left side of recliner and can be folded down when not being used.



### Optional IV Pole Mount

Installed on left side of recliner and allows for use of IV pole.

### Optional Side Table


Mounted to left side of recliner. Can be folded down when not in use.



## Recline Positions

- First or Upright position: Ideal for patient transport and to start IV's
- Second or First Recline position: Ideal for starting IV's and resting
- Third or Full Recline position: Ideal for starting IV's in nervous patients and rest
- Fourth Position or Trendelenburg:

The Trendelenburg (or shock) position must be activated by the technologist  
This cannot be activated by the patient while they are sitting in the recliner



Upright Position

Upright Position with Legrest Extended

First Recline Position

Full Recline Position

Trendelenburg Position

## Spin-Lift Adjustable 5-Leg Stool

Solid steel, machined thread screw adjusts height by rotation of the stool cushion. Adjustable height: 18" to 22". 16" x 4" thick seat cushion. 5-leg, die cast aluminum base. 23" base provides excellent stability.

#BAS-40 |



## Spin-Lift Adjustable 4-Leg Stool

Solid steel, machined screw adjusts height by rotation of the stool cushion. Adjustable height: 19" to 25.5". Seat cushion is 14.5" x 4" thick. 4-leg chrome steel base with footring.

#BAS-30 |



More options  
available online!

## Pneumatic 5-Leg Lift Stool

Pneumatic gas cylinder easily adjusts height with convenient under-cushion ring. Adjustable height: 19" to 24". Seat cushion is 16" x 4" thick. 5-leg, die cast aluminum base. 23" base provides excellent stability.

#BPS-20 |



## Pneumatic Lift Stool with Backrest

Same design as the BPS-20 with an adjustable backrest and d-ring height lever.

#BPS-22 |



## Chairs and Stools

It's important to have the right seating for your CT Department. We have a wide variety of sturdy functional chairs and stools to choose from. From comfortable console chairs to Universal task stools. From patient chairs to room stools. Some of the top sellers shown here.

More options available online!

### Patient Chair

With a classic design, sturdy metal frame and comfortable, padded seat and backrest, these premium side chairs are a perfect addition to any CT room or waiting area. Black mesh fabric with black frame.

ZONDI-2924 |



### Standard Step Stools

All steel 350-lb. capacity. Skid resistant black mat. 9" high stool with 11" x 13.75" top; 34" tall with handrail. Handrail is 7/8" diameter, chrome-plated tubular steel. Easy assembly.

#BSH-65 |



**Our most popular and best selling stool!**

### Universal Stool

Self-skinned urethane seat & back (black only). Pneumatic lift adjusts seat from 22" to 32". Height adjustable footring. Chrome footrest is independently height adjustable. 5-star nylon resin reinforced base with dual wheel casters. Swiveling seat measures 17" w x 16.5" d 300 lb weight capacity.

ZBCH-USB |



### Console Chair

Console Chair intuitively responds to a wide range of body weights and sizes without the need for manual tension or tilt adjustments. Exclusive Poly Flex back slats with contouring mesh support. Mesh back offers breathability for comfortable sitting.

ZONDI-12713 |



## Pneumatic Lift Stool with Locking Casters

Pneumatic gas cylinder easily adjusts height with convenient under-cushion ring. Adjustable height: 16" to 21". Seat cushions are 16" x 3.5" thick. Includes a 5-leg, chrome base. Reverse casters with auto-lock when seated. 23" base provides excellent stability.

#BPS-30 |



Choose a stool color option on PG 8!

## Pneumatic Lift Stool with Backrest

Same design as the BPS-30 with an adjustable backrest and paddle height lever.

#BPS-32 |



## Tilt-lid Hampers

Lidded hampers provides sanitary environment for soiled linens. Durable, epoxy coated steel lid. Pedal activated lid with lid prop. Chrome plated steel frame. 3" rubber wheel casters.

#BHS-10 |



## Hamper Bags

Drawstring style hamper bag. Designed for use with Hamper BHS-10 (shown to the left). Available in 15 or 45 gallon capacities.

CAT#	Capacity
BAG-18	15 Gallons
BAG-25	45 Gallons



## Foot Immobilizer

Foot Immobilizer. 90 degree foot plate is made of rigid black vinyl plastic that is 0.5" thick. Back of legs rest on the base and feet rest against the upright. 12" x 12" x 12". Hook and loop closure holds feet securely against the upright. Perfect for CT Procedures.

#FIL-12 |






## Upholstery Fabric Options For Pneumatic Lift Stools

### POLYESTER Celestial



1200-Oberon



1201-Rhea



1203-Callisto



1204-Titan



1207-Hyperion



1208-Europa

### POLYESTER Soft sit



2570-Graphene



2572-Ash



2575-Tsunami



2576-Magma




2577-Molten




2578-Kipuka

### POLYESTER Freedom



3400-Orbit




3401-Stealth



3402-Flight



3403-Cocoa



3404-Evening



3408-Oasis

### VINYL Stage



V50-Cats



V53-Grease



V55-Aida



V52-Chicago



V59-Fame



V58-Shrek

## Phlebotomy Chairs

Practical and affordable, these blood drawing chairs feature casual comfort for the patient. They provide a minimal footprint and offer comfort without taking up excess space. Built with a powder-coated frame finish and non-marking nylon glides. Features an adjustable height and depth flip arm that positions in place when in use, then flips out of the way for easy exit. E-Z clean plastic seats. Our 3 top selling chairs are shown below. We offer an expanded assortment of chairs to fit any need and budget. [Color options on PG. 10.](#)

More options available online!

### #PC-6050-U |



<b>Capacity</b>	300 lbs.
<b>Seat</b>	
Height (in) / (cm)	18" / 45.72 cm
Dimensions (in) / (cm)	17.5" x 18" / 44.45cm x 45.72 cm
<b>Arms</b>	
Height Range (in) / (cm)	6" / 15.24 cm
<b>Overall</b>	
Depth (in) / (cm)	25" / 63.50 cm
Width (in) / (cm)	28" / 71.12 cm

### #PC-66010 |



<b>Capacity</b>	400 lbs.
<b>Seat</b>	
Height (in) / (cm)	20" / 50.8 cm
Dimensions (in) / (cm)	17.5" x 18" / 44.45cm x 45.72 cm
<b>Arms</b>	
Height Range (in) / (cm)	6" / 15.24 cm
<b>Overall</b>	
Depth (in) / (cm)	26" / 66 cm
Width (in) / (cm)	32" / 78.74 cm

### #PC-66000B |



<b>Capacity</b>	700 lbs.
<b>Seat</b>	
Height (in) / (cm)	20" / 50.8 cm
Dimensions (in) / (cm)	35" x 21" / 89cm x 53.34 cm
<b>Arms</b>	
Height Range (in) / (cm)	6" / 15.24 cm
<b>Overall</b>	
Depth (in) / (cm)	29" / 73.66 cm
Width (in) / (cm)	46" / 116.84 cm

## Upholstery Fabric Options For Phlebotomy Chairs

### PATRIOT PLUS



PAT-427  
Blueridge



PAT-8604  
Concrete



PAT-8567  
Dove



PAT-8602  
Oatmeal



PAT-432  
Imperial Blue



PAT-8584  
Taupe



PAT-8516  
Chestnut



PAT-8615  
Berry

### RENAISSANCE




REN-9214  
Steel Blue




REN-9201  
Cobblestone



REN-9205  
Gypsum



REN-9208  
Wineberry



REN-9207  
Ice Blue



REN-9210  
Cypress




REN-9212  
Blue Jade

### SAVOY



SAV-401  
Vintage Gold




SAV-409  
Warm Taupe

## Department Signs

All signs are constructed of durable 1/8" Trovicel™, a plastic specific to the sign industry. Double-faced tape is attached to the back for mounting. Large Signs are 8" x 10". Small Signs are 4" x 10". The large MRI "Danger" Signs are 12" x 18".




#PS-04EB | (Black)  
#PS-04ER | (Red)



#PS-04SB | (Black)  
#PS-04SR | (Red)



#NFD-22B | (Black)



#PS-08B | (Black)  
#PS-08R | (Red)



#VS-10EB | (Black)  
#VS-10ER | (Red)



#NFD-22R | (Red)



## Caution / MRI Signs

Signs give critical information to patients & technologists. Enhances safety with a front line written warning. Many states adopt certain signs as law as part of a good quality assurance program. Check your local laws or program requirements.



#CRA-15



#CRA-16



#CRA-17



#CRA-18

## CT Illuminated In Use Sign

Lighted sign focuses attention on room status. Not a plug-in sign. Requires hardwired power connection at 120 VAC. Measures 11.5" x 2.5" x 7.75"

#SLU-CT |



## IV Stands

Features 1" and 7/8" telescoping, chromed plated steel pole with twist lock adjustments. Adjustable heights. Detachable rams-horn hooks.

### Economy Twist Lock

Adjustable height range: 46" to 83"; Epoxy coated 4-leg 22" diameter base with easy roll ball bearing casters. 30 lb load capacity under normal use.

### 5-Leg Base Knob Lock

Adjustable height range: 52" to 92". 5-leg, cast aluminum, 23" diameter base with soft roll, dual wheel casters. 45 lb load capacity under normal use. Available in two or four hooks.



Two or Four hooks available for 5-leg bases!

### ECONOMY TWIST LOCK


2-Hook  
#BIV-70



### 5-LEG BASE KNOB LOCK

2-Hook  
#BIV-76

4-Hook  
#BIV-77



## Mayo Instrument Stands

Provides ready access to equipment or instruments. Leg posts are 1" chrome plated steel. Steel, easy-slide extension posts. Stainless steel tray is 19"(L) x 12"(W) x 0.75" Deep.

### TABLESIDE

#BMS-80 |  
Height: 34"-54"



### MOBILE

#BMS-95 |  
Height: 31"-50"




## Stainless Steel Utility Cart

All purpose mobile utility cart. Ideal for linen or accessory items. Features a 300lb capacity. Pre-assembled. Measures: 28"(L) x 15.5"(W) x 33"(H) with handle.

### MOBILE

#BCS-73 |



# Radiation Badge Storage Boards

Provides a central location for all badge related activity. Exposure record display area and note clip. Accommodates different styles and sizes of badges. Ring board is also available for Nuclear Medicine and PET.

Badges available from your local provider

CAT #	Style	Badges	Board Size
FB-10N	narrow	10	12" x 5"
FB-20N	narrow	20	12" x 9.25"
FB-40N	narrow	40	12" x 18"
FB-10W	square/hex	10	12" x 9.25"
FB-20W	square/hex	20	12" x 18"
FB-40W*	square/hex	40	12" x 18"
FB-10R	ring(nuc.med.)	10	12" x 5"

\*(The FB-40W comes as two boards, each holding 20 badges.)



HEX



SQUARE



SQUARE



RING



NARROW



WIDE

## SQUARE, HEX, WIDE, OBLONG BADGES

1" to 2" wide



#FB-10W



#FB-40W



#FB-20W

## RING BADGES



#FB-10R

## NARROW BADGES

less than 1" wide



#FB-10N



#FB-20N






#FB-40N

## NEW Winged Arm Holder

Designed to comfortably support patients arms during imaging. Cleanable, non-porous surface over core foam. Measures 9"(w) x 15.25"(L) x 7"(H)

#YCWS |



## CT Stealth Specialty Positioning Sponges

A sampling of the many CT positioning aides that we manufacture. Specialty sponges may show artifacts during imaging when coating is applied.



### Coated Specialty Sponges

#### PHLEBOTOMY WEDGE

5.5" x 25" x 5.5"

#YCEZ |



#### ADULT HEAD IMMOBILIZER

9" x 15.25" x 7"

#YCAP |



#### CONTOURED TORSO PAD

18.5" x 17" x 5"

#YCMG |




### Leg Rests Support with Knee Cutout

#### #YMCP (Large) |

18" x 24" x 10"


For patients greater than 6' tall



#### #YMCM (Medium) |

12.5" x 16.25" x 7"

For patients 5' - 6' tall



#### #YMCS (Small) |







14.5" x 18" x 4"

For patients less than 5' tall







## Stealth Wedge Positioning Sponges



	COATED	NON-COATED	
	#YCBC	#YFBC	<b>45° WEDGE</b> 10" x 13.5" x 7"
	#YCBB	#YFBB	<b>45° WEDGE</b> 10" x 20.25" x 7"
	#YCBG	#YFBG	<b>21° WEDGE</b> 12.25" X 14.25" X 4.5"
	#YCBF	#YFBF	<b>27° WEDGE</b> 12.75" x 15.5" x 6"
	#YCFD	#YFFD	<b>45° SPINAL WEDGE</b> 7" x 21" x 7"
	#YCAJ	#YFAJ	<b>KNEE WEDGE SUPPORT</b> 22" x 20" x 7"

## Stealth Wedge Positioning Sponges Sets

	COATED	NON-COATED	
	#YCBE set	#YFBE set	<b>34° WEDGE (SET OF 2)</b> 5.5" x 9.75" x 3"
	#YCBJ set	#YFBJ set	<b>12° WEDGE (SET OF 2)</b> 10.5" x 9.25" x 2.25"
	#YCBH set	#YFBH set	<b>16° WEDGE (SET OF 2)</b> 8.5" x 11" x 3.5"
	#YCBI set	#YFBI set	<b>15° WEDGE (SET OF 2)</b> 12.5" x 10" x 3"



## Coated-Only Specialty Sponge Kit

### CT IMAGING KIT 4



CAT #

#YSCT4

INCLUDED SPONGES

YCAJ - CT Knee Wedge  
 YCBC - 45° Wedge  
 YCBF - 27° Wedge  
 YCBG - 21° Wedge  
 YCBH - (2) 16° Wedges  
 YCBJ - (2) 12° Wedges  
 YCFD - 45° Spinal Wedge

Dimensions listed as W x L x H

## Body Comfort Wedge Pillow

High density foam enclosed in a durable, heavy gauge, reinforced Royal Blue vinyl covering. Supports patient's head and shoulders when arms must be held above head. Dual hand grips reduce patient fatigue. Measures: 16" x 25" x 8.25"

#YVFF



Easy access grips reduces patient fatigue

## NEW Gantry Bumper

Techno-Aide proudly presents the perfect way to protect your investment! These bumper pads protect your CT machine when transferring patients from gurneys and stretchers to your CT table. These high density, firm pads include a 1" wide sewn hook and loop connection for easy attachment to the side of any CT unit.

CAT #	Length	Width	Height	Included Hook & Loop (W x L)	Color
YVGP1	60"	3"	2"	1" x 58" (QTY 2 on bottom)	Black
YVGP2	24"	3"	2"	1" x 22" (QTY 2 on bottom)	Black
YVGP3	22"	3"	2"	1" x 20" (QTY 2 on bottom)	Black



## NEW MRI Knee Wedge Positioners MR

This unique visco-elastic material is specifically formulated to maximize patient comfort. Features a permanent anti-microbial agent. Sewn cover seams include a coated nylon thread to minimize the risk of any biological contamination. Positioner covering is a breathable, waterproof, polymer fabric that is easy to maintain and clean with any standard disinfectant. Resistant to stains and latex free! Excellent radiolucent qualities.

**CAT#    Size (W x L x D)**

- MFP-10    16" x 28.2" x 8"
- MFP-12    24" x 28.2" x 8"
- MFP-13    19" x 28.2" x 8"



## Comfort Positioners

Unique visco-elastic material molds to patient's body shape. Conforms to the table platform. Excellent radiolucent qualities. Anti-microbial cover with anti-slip undersurface is easy to clean and maintain. **Dimensions listed as W x L x H.**




**#MFP-07 |**  
3" x 7.3" x 2.3"



**#MFP-02 |**  
5" x 3" x 1"



**#MFP-05 |**  
3" x 4" x 2"



**#MFP-03 |**  
10" x 10" x 3"

## Comfort Table Pads

Designed to provide the optimal comfort for patients. Perfect for long examinations. Patients often complain about being uncomfortable during exams and a significant part of their discomfort relates to the mattress pads currently available for imaging tables. Current table pads were not developed with the purpose of maximizing patient comfort nor do they utilize the latest technology that is available today. This unique visco-elastic material is specifically formulated to maximize patient comfort in a thin form factor. This heat sensitive material molds to the patient's exact body shape and contours to evenly distribute weight and pressure. Pads feature a permanent anti-microbial agent with cover seams sewn using coated nylon thread to minimize the risk of any biological contamination. Pad covering is a breathable waterproof polymer fabric that's easy to clean with a standard disinfectant. Pads are resistant to stains and are latex free and have excellent radiolucent quality. To increase safety, all pads have an anti-slip undersurface to keep the pads in place while patients are getting on/off the table.



CAT#	Measurements
MFP-22	Comfort Table Pad 15" x 13" x 1.250"
MFP-24	Comfort Table Pad 15" x 27" x 1.250"
MFP-32	Comfort Table Pad 29" x 14" x 1.250"
MFP-34	Comfort Table Pad 29" x 28" x 1.250"
MFP-46	Comfort Table Pad 31" x 13.5" x 1.250"
MFP-48	Comfort Table Pad 31" x 27.0" x 1.250"
MFP-52	Comfort Table Pad 19.5" x 14" x 1.250"
MFP-54	Comfort Table Pad 19.5" x 28" x 1.250"

## CT Table Slickers

Clear poly film, micromatte vinyl protective cover that is designed to fit over CT table pads that come with your table. They are manufactured to resist contamination of the cradle and interior of the imaging table and allows for a quick clean up of blood and bodily fluids and reduces contaminant buildup in hard to clean areas. Flaps prevent contaminants from getting into other hard to clean areas of a table. Such as: table electronics, drives and hinges. **These slickers are designed to fit the original pad precisely.** Latex free and easy to install. Comfortable for patients. Will not interfere with normal CT table operation. Slickers utilize a flap system that is integrated with table safety belts to prevent contamination of CT tables.

If you are covering a non-original table pad, please provide the pad dimensions before placing your order to make sure the slicker cover will fit your pad properly.


## CT Table Cushions

Designed to enhance infection control practices in the CT room. Reduces cleanup times and equipment maintenance. Foam cushion is permanently welded with thermo-sealed seams inside the protective slicker cover, offering contamination resistance of the cradle and interior of the imaging table. The unique flaps prevent contaminants from getting into other hard to clean areas of a table such as threaded surfaces, corners, table joints or cradles, internal electronics, drives and hinges. Cushions are fully enclosed. No need to worry about fitting an existing table pad. Designed to fit the original equipment table specified by machine, these slicker cushions eliminate the fit problem. The most inexpensive way to renew the table pad and cover at once. Allows for a quick clean up of blood and bodily fluids. Reduces contaminant buildup in hard to clean areas. Fluids and contrast are unable to penetrate into the cushion and table. Made of heavy clear micromatte vinyl and top grade foam, fit perfectly to your specific CT table. Easy to install and does not affect normal table usage.

## Features

- Improves table sanitation allowing quicker cleanup
- Reduces contaminant build-up in hard to clean areas
- Reduces table maintenance over time
- Increases system uptime and productivity
- Built to fit original equipment pads precisely!
- Available for nearly every make and model!

CT Table Cushions  
with CT Table Slickers



TA CAT#	SLICKER COVER, SLICKER CUSHION, & ACCESSORY ITEM DESCRIPTION	COMPONENTS	Dimensions (inches)	
			L	W
<b>GE Slicker Table COVERS</b>			<b>L</b>	<b>W</b>
PAD-CT-GE1	X-ray Angio Slicker Cover for GE Omega IV Tables; fits 3" & 4" thick pad	COV	118"	8"
PAD-CT-GE2	X-ray Angio/Cardiac Slicker Cover for GE Omega V Tables; fits 3" & 4" thick pad	COV	132"	8"
PAD-CT-GE3	Angio Slicker - GE Omega IV Tables (118 in.); fits 1" & 2" thick pad	COV V	118"	8"
PAD-CT-GE4	Angio/Cardiac Slicker - GE Omega V Tables (132 in.); fits 1" & 2" thick pad fits pad E8015JB 1" thick	COV V	132"	8"
PAD-CT-GE5	CT Slicker w/ Extender - 9800/HiLight Advantage Systems w/ Metal-Free Head Holder	COV E H	78"	16"
PAD-CT-GE6	CT Slicker w/ Extender - 9800/HiLight Advantage Systems w/o Metal-Free Head Holder	COV E H	75"	16"
PAD-CT-GE7	CT Slicker - CT/e and CT/e Dual Systems	COV H	82 1/2"	12 1/2"
PAD-CT-GE8	CT Slicker w/ Extender - BrightSpeed Select & HiSpeed DXi/FXi/LXi/NXi/ZXi Systems	COV E H	86 3/4"	16"
PAD-CT-GE9	CT Slicker w/ Extender - CT/i & HiSpeed Advantage Systems w/ Metal-Free Head Holder (concave head end)	COV E H	92"	17"
PAD-CT-GE10	CT Slicker w/ Extender - HiSpeed Advantage Systems w/ Original Head Holder (Square head end)	COV E H	88 1/2"	16"
PAD-CT-GE12	CT Slicker - ProSpeed Plus Systems	COV G H	79 1/2"	13"
<b>GE Slicker CUSHIONS</b>			<b>L</b>	<b>W</b>
PAD-CT-GE15	CT Slicker Cushion w/ Extender - Discovery CT750 HD and VCT Systems w/ GT 2000 Table	CSH E H	103"	17"
PAD-CT-GE16	CT Slicker Cushion w/ Extender - Discovery CT750 HD and VCT Systems w/ GT 1700 Table (Optima 660)	CSH E H	82 3/4"	17"
PAD-CT-GE17	Extender Slicker Pad for VCT, QXi, and PET	E	15"	17"
PAD-CT-GE18	CT Slicker Cushion w/ Extender - LightSpeed and BrightSpeed Power Systems	CSH E H	92"	17"
PAD-CT-GE20	PET/CT Slicker Cushion w/ Extender - PET Discovery VCT and Discovery 600/690 (PET Global Table)	CSH E H	110"	17"
PAD-CT-GE21	PET/CT Slicker Cushion w/ Extender - PET Discovery ST/LS	CSH E H	105"	17"
PAD-CT-GE24	GE Infinia Nuclear Med Table Cushion	CSH R	77 1/2"	14"
PAD-CT-GE25	GE Hawkeye Millinium VG Nuclear Med Table Cushion	CSH R	79 5/8"	14"
PAD-CT-GE26	GE Ventri Nuclear Med Table Cushion (concave head end) fits GE MPR	CSH E R	64"	16"
PAD-CT-GE34	GE Slicker Cushion w/ Extender - Revolution CT Systems	CSH E H	85 1/2"	17"
PAD-CT-GE41	GE slicker cushion head pad for CT Optima head section	CSH E H	15"	17"
<b>GE Accessories</b>			<b>L</b>	<b>W</b>
PAD-CT-GE29	CT Footswitch Slicker - Discovery CT750 HD & VCT Systems (bell shaped)	FSW V	23 1/2"	28"
PAD-CT-GE27	CT Footswitch Slicker - HiSpeed and LightSpeed Advantage Systems (square shaped)	FSW V	23"	21"
PAD-CT-GE35	CT Footswitch Slicker - Revolution CT (NG Table) (rectangle shaped)	FSW V	35"	22"
PAD-CT-GE30	CT Skirt - HiSpeed Advantage Systems (Set of 2 ea.)	S V	13"	36"
<b>Philips Slicker Table COVERS</b>			<b>L</b>	<b>W</b>
PAD-CT-PH12	Philips Nuclear NMPT Pallet Pad Slicker	COV	82 1/2"	15"
<b>Philips Slicker Table CUSHIONS</b>			<b>L</b>	<b>W</b>
PAD-CT-PH13	Philips Stargate? Mx8000 Dual v.EXP CT Slicker Cushion (Gray)	CSH	94 1/2"	18"
PAD-CT-PH1	Philips Brilliance CT 40 Channel, 16 Power, 16/10/6 Slice Slicker Cushion (Yellow) Scan line @	CSH V	94 1/2"	18"
PAD-CT-PH2	Philips Stargate L CT Slicker Cushion Scan line @ 43.31" (111 cm.) from head end	CSH V	94 1/2"	18"
PAD-CT-PH3	Philips CT Slicker Cushion Long (Yellow) Scan line @ 57.6" (146.3 cm.) from head end	CSH V	104"	18"
PAD-CT-PH4	Philips CT Slicker Cushion Long (Yellow) Scan line @ 55.5" (141.0 cm.) (Ingenuity scanner)	CSH V	104"	18"
PAD-CT-PH5	Philips Brilliance CT 16/10 Slice CT Slicker Cushion (Yellow) w/ Restraining Belts	CSH V R	94 1/2"	18"
PAD-CT-PH7	Philips Bariatric Slicker Cushion (Yellow) no flaps	CSH	95"	21"
PAD-CT-PH8	Philips Bariatric Slicker Cushion, Long (Yellow) no flaps	CSH V	105"	19"
PAD-CT-PH9	Philips Patient Cushion Scan line at 48.58 inches from head end (Yellow)	CSH V	94 1/2"	18"
PAD-CT-PH10	Philips Patient Cushion Scan line at 47.24 inches fro head end (Yellow)	CSH V	94 1/2"	18"

PAD-CT-PH14	Philips Patient Cushion for Flat Top	CSH V	95 1/2"	19
PAD-CT-PH15	Philips Bariatric Slicker Cushion (Grey)	CSH V	105	19
PAD-CT-PH16	Mattress Pad-Patient Support Extended	CSH V	106	18"
PAD-CT-PH17	Mattress Pad-Patient Support Bariatric	CSH V	96 1/2"	18"
<b>Philips Restraining Belts</b>			<b>L</b>	<b>W</b>
PAD-CT-PH11	Large Restraining belts for Philips Slicker Cushions (Set of 3 ea.)	R	36 1/2"	5 5/8"
<b>Neusoft Slicker Table COVERS</b>			<b>L</b>	<b>W</b>
PAD-CT-NU1	Slicker cover for Philips and Neusoft	COV		
<b>Neusoft Slicker CUSHIONS</b>			<b>L</b>	<b>W</b>
PAD-CT-NU2	Philips and Neusoft CT Slicker Cushion - Grey	CSH		
PAD-CT-NU3	Philips and Neusoft CT Slicker Cushion - Grey	CSH		
PAD-CT-NU4	Philips and Neusoft CT Slicker Cushion - Yellow	CSH		
PAD-CT-NU5	Philips and Neusoft CT Slicker Cushion - Yellow	CSH		
<b>Siemens Table COVERS</b>			<b>L</b>	<b>W</b>
PAD-CT-SM9	Siemens Somatom Plus 4/Volume Zoom/Sensation CT Slicker Set & Definition DS/AS (HST) MPT Table	COV S H	94 1/2"	18"
PAD-CT-SM6	Siemens Emotion CT Slicker Set	COV H	86"	18"
PAD-CT-SM7	Siemens Definition CT Slicker Set	COV H	85"	18"
PAD-CT-SM1	Siemens Axiom Mattress Shape 1, Model 83 85 333, 4 cm. thick, Angio Slicker	COV	107"	8 1/2"
PAD-CT-SM2	Siemens Axiom Mattress Shape 1, Model 57 71 444, 8 cm. thick, Angio Slicker	COV	107"	8 1/2"
PAD-CT-SM3	Siemens Axiom Mattress Shape 2, Model 100 47 902, 4 cm. thick, Angio Slicker	COV	106"	21"
PAD-CT-SM4	Siemens Axiom Mattress Shape 2, Model 57 71 428, 8 cm. thick, Angio Slicker	COV	106"	21"
PAD-CT-SM30	Siemens Definition Heavy Duty CT Slicker w/Extender	COV E H	85"	18"
PAD-CT-SM31	Siemens Sensation Heavy Duty CT Slicker w/Extender	COV S E H	94 1/2"	18"
PAD-CT-SM32	Siemens Flash CT Slicker Set (Extra wide flaps)	COV H	85"	18"
<b>Siemens CT Slicker CUSHIONS</b>			<b>L</b>	<b>W</b>
PAD-CT-SM16	Siemens Somatom Plus 4/ VZ/ Sensation/ Definition DS/AS (HST) MPT CT Slicker Cushion	CSH S H	94 1/2"	18"
PAD-CT-SM17	Siemens Nuclear Medical Slicker Cushion	CSH	83"	14"
PAD-CT-SM18	Siemens Emotion Slicker Cushion set	CSH H	85 1/2"	18"
PAD-CT-SM20	Siemens Definition CT Slicker Cushion	CSH H	85"	18"
PAD-CT-SM21	Siemens Definition Heavy Duty CT Slicker Cushion Set w/Extender (formally CT-SDEF-06A)	COV PAD E H	85"	18"
PAD-CT-SM22	Siemens Sensation Heavy Duty CT Slicker Cushion Set w/Extender	COV PAD S E	94 1/2"	18"
<b>Siemens PADS</b>			<b>L</b>	<b>W</b>
PAD-CT-SM23	Siemens Definition Heavy Duty CT Flat Top Pad w/Extender (PAD0026XR)	PAD E	85 1/2"	18"
PAD-CT-SM24	Siemens Sensation Heavy Duty CT Flat Top Pad w/Extender (PAD0026XR)	PAD E	94"	14"
<b>Siemens ACCESSORIES</b>			<b>L</b>	<b>W</b>
PAD-CT-SM25	Siemens Sensation Footboard Extension pad	E	14"	17"
PAD-CT-SM26	Sterile Drape for Siemens Intervention Panel, 10 drapes per box.	D		
PAD-CT-SM27	Siemens Somatom Plus 4/VZ/Sensation 54" Skirt Set (Set of 2 ea.)	S	54"	13"
PAD-CT-SM28	Siemens 64" Restraining Belt (Set of 3 ea.)	R	64"	5 3/4"

Toshiba CT Slicker TABLE COVERS			L	W
PAD-CT-TS3	Toshiba Aquilion CT Slicker (for 81" pad)	COV E H	81"	18"
PAD-CT-TS4	Toshiba Aquilion CT Slicker (for 70" pad)	COV E H	70"	18"
PAD-CT-TS5	Toshiba Aquilion CT Slicker Set (for 87" pad)	COV E H	87"	18"
PAD-CT-TS6	Toshiba Aquilion CT Slicker Set (for 95" pad)	COV E H	95"	18"
PAD-CT-TS7	Toshiba Asteion CT Slicker (for 75" pad)	COV E H	75"	18"
PAD-CT-TS8	Toshiba Aquilion One CT Slicker (for 91 1/2" pad)	COV E H	91 1/2"	18"
PAD-CT-TS10	Slicker Cover for Toshiba Aquilion Prime 96 1/2" Table Pad	COV E H	96 1/2"	19"

Toshiba Accessories			L	W
PAD-CT-TS9	Toshiba Extender Cover	E	15"	18"
PAD-CT-TS11	Extender cover assembly for Toshiba Aquilion Prime	E	15"	18"

Miscellaneous			L	W
PAD-CT-CBH	All OEMs, 41" Black Catheter Bag Hanger Assembly	H	41"	2"

## Gantry Guard™

Protection You Need

- Fits most CT scanners
- Held in place by easy-to-remove adhesive tabs
- Disposable for quick and easy cleanup
- Convenient dispenser box
- 25 individually wrapped covers per box
- Adhesive tabs for easy placement
- Color: Clear

CAT.#	Size (cm)	Price
CT-GCOV	296" x 206"	Call for Pricing
CT-GCOV2	170" x 82"	Call for Pricing
CT-GCOV3	108" x 82"	Call for Pricing




## Radiolucent Immobilizer Strap

Comfortably secures patient position and eliminates motion. Helps prevent patient falls without limiting respiration or circulation. Strap is a heavy gauge reinforced vinyl. Fast and easy to use hook and loop closure. Easy to remove in case of emergency. **Hook and Loop is black. BLUE is the default color. Colors are for Immobilizer Straps only.**

**CAT.#      Width x Length**

RDH-060	7" x 60"
RDH-072	7" x 72"
RDH-084	7" x 84"
RDH-096	7" x 96"
RDH-120	7" x 120"
RDP-060	14" x 60"
RDP-072	14" x 72"
RDP-084	14" x 84"
RDP-096	14" x 96"
RDP-120	14" x 120"
RDW-060	20" x 60"
RDW-072	20" x 72"
RDW-084	20" x 84"
RDW-096	20" x 96"
RDW-120	20" x 120"



## Universal Restraint

Universal clamp fits most imaging tables. 6" x 52" or 10" x 72" nylon strap firmly and comfortably holds the patient to the table with hook and loop closure. Brackets are stainless steel for long life.

**CAT.#      Width x Length**

RDS-12	6" x 52"
RDS-22	10" x 72"



## Elastic Immobilizer

6" wide strap is designed for superior stability. Strap extensions then cross over patient where they are secured with "hook" and "loop" closure. Three standard lengths; custom available.

**CAT.#      Width x Length**

RDF-084	6" x 84"
RDF-096	6" x 96"
RDF-120	6" x 120"



## Traction Hand-Hold Straps

Straightening the legs easily applies traction. Hook and loop hand-hold straps provide secure grip.

**MANUAL #RDT-HN |**

**Hand-Hold Straps**



## Traction Hand-Hold Straps

Primarily for elderly or unconscious patients. Rigid foot plate provides stable, steady support.

**AUTOMATIC #RDT-SH |**

**Buckle Straps**



Lowers shoulders for cervical imaging!


## Regular Transfer Board

Allows safe and efficient transfer of patients for general imaging, MRI, and CT. Semi rigid slick material makes positioning under the patient easy. Transfer boards are radiolucent and can be used in the imaging field. Conveniently located handgrips allow optimal movement. Boards are made of durable high density polyethylene. Color: White. MR safe. Has a 3/16" thickness. These boards ship at Oversize Rates.

### REGULAR BOARDS (white)

CAT#	Dimensions	Description
TBS-2372	23"(w) x 72"(l)	standard
TBN-1872	18"(w) x 72"(l)	narrow
TBB-3272	32"(w) x 72"(l)	bariatric
TBH-2332	23"(w) x 32"(l)	half

FOUR SIZES TO CHOOSE FROM!




## Anti-Static Transfer Board

Anti-static boards are made of UHMW (ultra high molecular weight polyethylene). Transfer boards are radiolucent and can be used in the imaging field. Conveniently located handgrips allow optimal movement. Color: Black. Has a 3/16" thickness. These boards ship at Oversize Rates. MR safe.

### ANTI-STATIC BOARDS (black)


CAT#	Dimensions	Description
TBS-2372AS	23"(w) x 72"(l)	standard
TBN-1872AS	18"(w) x 72"(l)	narrow
TBB-3272AS	32"(w) x 72"(l)	bariatric
TBH-2332AS	23"(w) x 32"(l)	half



## Engraved Transfer Option

Personalize your transfer boards for your facility. Each board can be CUSTOMIZED to make sure your boards come back to YOU!

#TBS-ENGRAVE | Call for pricing



## Restraint Straps

Super strong 2" nylon webbing. Secure snap buckle closure.

CAT#	Girth	Description
TBR-S72	72"	standard/half
TBR-N60	60"	narrow
TBR-B90	90"	bariatric



## Lifting Straps

Convenient nylon straps loop through hand holds. Provides better grip. Provides extra length for better reach. Ships @ 1 lb.

#TBS-ST2 | Per Pair



## Board Wall Rack

Two 6" pegs are angled to keep board from slipping. Mounting holes are on vertical centers. Steel with white enamel. Ships @ 4 lbs.

#TBR-2P |






## CT Skin Markers

These lead-free markers are used to highlight areas of interest for CT and Radiology. Easily identifiable as a bright white image to properly communicate an area of interest or concern to the radiologist. Feature an Easy-Peel tab!

CAT.#	Style	Size	Item QTY
SDM-CT1	Dot	2.3mm	50 markers
SDM-CT2	Dot	4.0mm	100 markers



## CT Opaque Skin Line Markers

Opaque line skin markers are perfect for CT field edge markings and nearly all CT marking applications. RT Simulation, Treatment Planning and Diagnostic Radiography. Flat marker is perforated every 2" yielding 125 markers per box. Lead free and disposable.

CAT.#	Size	Item QTY
SDW-CT05	0.5mm	138 markers
SDW-CT10	1.0mm	132 markers
SDW-CT15	1.5mm	125 markers
SDM-RT03	2.0mm	130 markers



## Multi-Modality Skin Markers

Provides an accurate reference point for CT, MRI, Therapy, Nuc Med, and PET procedures. Does not indent into the tissue or produce unwanted artifacts. These versatile markers can be used for marking masses, pain location, biopsies, or other areas of interest. Perfect for any modality with a clear accurate reference point. Easy to secure in place. Easy to remove. Manufactured with a medical grade adhesive. MRI safe. Disposable. 50 per box.



### CT / MRI

No center hole; appears as bright object on CT and MRI scans. Also highlights areas of interest for radiology and mammography.

**CAT# MM3007 |**  
50 markers per box



### CT / MRI / THERAPY / RADIOLOGY

2mm center hole suitable for conventional hypodermic needle. Highlights area of interest for Oncology and Radiology.

**CAT# MM3005 |**  
50 markers per box



### CT / MRI / NUC Med / PET

2mm center hole suitable for injection of radioisotope. Highlights area for Nuc. Med., PET, CT and MRI.

**CAT# MM3003 |**  
50 markers per box

## Disinfectants for CT

Facilities should establish and comply with a system to disinfect CT equipment and accessories after each use. Improved adherence to hard hygiene standards has shown to terminate outbreaks in health care facilities. It has also shown to reduce overall infection rates. Protect your patients and employees with these top selling disinfectant wipes.

### SANI-CLOTH® AF3 Alcohol-Free Wipes

Contains an excellent range of effectiveness. Cleans, disinfects, deodorizes & fragrance-free. Alcohol content: ALCOHOL-FREE (less than 0.016%). Recommended Contact Time: 3-minutes or less. Commonly used for **most IMAGING EQUIPMENT**. PLUS daily use items like table pads, sandbags, coated sponges, transfer boards, aprons, shields, vinyl straps... you name it. Meets CDC, OSHA and CMS Tag F441 guidelines.

CAT.#	Wipe Size	Quantity
GWP-WAF	6" x 6.75"	<b>Tub</b> of 160 wipes
GWP-WAFCS	6" x 6.75"	<b>Case</b> of 12 tubs



### SANI-CLOTH® BLEACH Wipes

Ideal for disinfecting high risk areas endemic with Multidrug-Resistant Organisms, Clostridium difficile spores, Norovirus, MRSA, and 50 other pathogenic microorganisms. Recommended Contact Time: 4-minutes. Compatible with a wide range of surfaces and equipment. Meets CDC, OSHA and CMS Tag F441 guidelines with a 1:10 bleach dilution.

CAT.#	Wipe Size	Quantity
GWP-B12CS	6" x 10.5"	<b>12 tubs</b> of 75 wipes
GWP-BB14CS	7.5" x 15"	<b>6 tubs</b> of 65 wipes



### EASY SCREEN™ Cleaning Wipes

Touch-Screen cleaner that "works at the speed of technology." Rapidly cleans dirt, grime, fingerprints and smudges from healthcare equipment. Helps prevent cross-contamination with a 70% isopropyl alcohol (IPA) solution. Commonly used for **Touch-Screens, Tablets, Lighting, and most other imaging equipment**. Effectively treats acrylic, polycarbonate, glass, stainless steel, and more.

#GWP-ESW |  
(12 tubs of 70 wipes)



### SANI-HANDS™ Hand Disinfectant Wipes

#1 hand sanitizing wipe in Healthcare! Contains 70% ethyl alcohol and proven to kill 99.99% of germs. Effective against MRSA. Proven to remove dirt and soil better than gels and foams. Clinically proven to moisturize the skin after repeated use. Food code compliant. Safe to use before eating and drinking. 15 second contact time. Significantly more effective than alcohol-based gels.

#GWP-B65CS |  
Case of 6 tubs



## Flex-Guard (Hook & Loop)

Front Protection apron with flexible stretch criss-cross back and **Hook and Loop** closure on the front. Excellent fit for full day imaging protection by providing less weight on the shoulders and snug fit at the back. Double-fold binding for strength and tear resistance. Free dual pocket to store an attached thyroid collar and a separate pocket for other items. Concealed shoulder pads for extra comfort.

### 0.5mm Pb Equivalent Protection

CAT. #	Lead Type	Petite/ Sm/ Med	LG / XL	2X / 3X
FVR	Regular			
FVL	Light Wt.			
FVG	<b>Lead-Free</b>			

### 0.375mm Pb Equivalent Protection

CAT. #	Lead Type	Petite/ Sm/ Med	LG / XL	2X / 3X
FVSR	Regular			
FVSL	Light Wt.			
FVSG	<b>Lead-Free</b>			



See our "Best-Fit" sizing guide on PG 33



## Flex-Guard (Buckle)

Front Protection apron with flexible stretch criss-cross back and **Buckle** closure on the front. Excellent fit for full day imaging protection by providing less weight on the shoulders and snug fit at the back. Double-fold binding for strength and tear resistance. Free dual pocket to store an attached thyroid collar and a separate pocket for other items. Concealed shoulder pads for extra comfort.

### 0.5mm Pb Equivalent Protection

CAT. #	Lead Type	Petite/ Sm/ Med	LG / XL	2X / 3X
FBR	Regular			
FBL	Light Wt.			
FBG	<b>Lead-Free</b>			

### 0.375mm Pb Equivalent Protection

CAT. #	Lead Type	Petite/ Sm/ Med	LG / XL	2X / 3X
FBSR	Regular			
FBSL	Light Wt.			
FBSG	<b>Lead-Free</b>			

## NEW Male Wide Belt Vest Guard Plus

Full front overlap design distributes weight between shoulders and hips and provides full coverage. Provides .5mm Pb equiv protection in the front and .25mm Pb equiv. protection in the back. New inside elastic back guard and front belt assures a snug fit with maximum back support. Double-fold binding offers strength and tear resistance. Hook and Loop closure is fast and easy. Free dual pocket to store an attached thyroid collar and a separate pocket for other items. Concealed shoulder pads for extra comfort. 1" safety buckle at shoulder. **Male vest closes from right to left.**

### 0.5mm Pb Equivalent Protection

CAT. #	Lead Type	Petite/ Sm/ Med	LG / XL	2X / 3X
VPR	Regular			
VPL	Light Wt.			
VPG	<b>Lead-Free</b>			

### 0.375mm Pb Equivalent Protection

CAT. #	Lead Type	Petite/ Sm/ Med	LG / XL	2X / 3X
VPSR	Regular			
VPSL	Light Wt.			
VPSG	<b>Lead-Free</b>			



See our "Best-Fit" sizing guide on PG 33



## NEW Wide Belt Kilt

Techno-Aide has added a 6" wide adjustable elastic belt to our standard vest and skirt/kilt for additional back support and comfort. Weight is distributed evenly around hips. Free pocket and waist pad. Double-fold binding for strength and tear resistance. **Wrap around protection: 0.5mm Pb Eq front, 0.25mm back. Male kilt closes from right to left.**

### 0.5mm Pb Equivalent Protection

CAT. #	Lead Type	Petite/ Sm/ Med	LG / XL	2X / 3X
KWR	Regular			
KWL	Light Wt.			
KWG	<b>Lead-Free</b>			

## NEW Female Wide Belt Vest Guard Plus

Full front overlap design distributes weight between shoulders and hips and provides full coverage. Provides .5mm Pb equiv protection in the front and .25mm Pb equiv. protection in the back. New inside elastic back guard and front belt assures a snug fit with maximum back support. Double-fold binding offers strength and tear resistance. Hook and Loop closure is fast and easy. Free dual pocket to store an attached thyroid collar and a separate pocket for other items. Concealed shoulder pads for extra comfort. 1" safety buckle at shoulder. **Female vest closes from left to right.**

### 0.5mm Pb Equivalent Protection

CAT. #	Lead Type	Petite/ Sm/ Med	LG / XL	2X / 3X
VWR	Regular			
VWL	Light Wt.			
VWG	<b>Lead-Free</b>			

### 0.375mm Pb Equivalent Protection

CAT. #	Lead Type	Petite/ Sm/ Med	LG / XL	2X / 3X
VWSR	Regular			
VWSL	Light Wt.			
VWSG	<b>Lead-Free</b>			



See our "Best-Fit" sizing guide on PG 33



## NEW Wide Belt Skirt

Techno-Aide has added a 6" wide adjustable elastic belt to our standard vest and skirt/kilt for additional back support and comfort. Weight is distributed evenly around hips. Free pocket and waist pad. Double-fold binding for strength and tear resistance. **Wrap around protection: 0.5mm Pb Eq front, 0.25mm back.** **Female vest closes from left to right.**

### 0.5mm Pb Equivalent Protection

CAT. #	Lead Type	Petite/ Sm/ Med	LG / XL	2X / 3X
SWR	Regular			
SWL	Light Wt.			
SWG	<b>Lead-Free</b>			

## Vest-Guard Male

Full front overlap design saves weight. Distributes weight between shoulders and hips. 0.5mm Pb equivalency protection front, 0.25mm back. **Hook and Loop** closure is fast and easy. Free dual pocket and shoulder pads. Double-fold binding for strength and tear resistance. Concealed shoulder pads for extra comfort. Free dual pocket to store an attached thyroid collar and a separate pocket for other items.

### 0.5mm Pb Equivalent Protection

CAT. #	Lead Type	Petite/ Sm/ Med	LG / XL	2X / 3X
VMR	Regular			
VML	Light Wt.			
VMG	<b>Lead-Free</b>			

### 0.375mm Pb Equivalent Protection

CAT. #	Lead Type	Petite/ Sm/ Med	LG / XL	2X / 3X
VMSR	Regular			
VMSL	Light Wt.			
VMSG	<b>Lead-Free</b>			

(Vests do not include the two 1" safety buckles. If you would like these as a FREE Add-On, please specify at the time of ordering.)



See our "Best-Fit" sizing guide on PG 33

## Kilt-Guard Male

### All Day Comfort for the Lower Body

Designed for best comfort.. Weight is distributed evenly around hips. **Wrap around protection: 0.5mm Pb Eq front, 0.25mm back.** **Hook and Loop** closure with 2" safety buckle. Free pocket and waist pad. Double-fold binding for strength and tear resistance.

### 0.5mm Pb Equivalent Protection

CAT. #	Lead Type	Petite/ Sm/ Med	LG / XL	2X / 3X
KMR	Regular			
KML	Light Wt.			
KMG	<b>Lead-Free</b>			



## Vest-Guard Female

Full front overlap design saves weight. Distributes weight between shoulders and hips. 0.5mm Pb equivalency protection front, 0.25mm back. **Hook and Loop** closure is fast and easy. Free dual pocket and shoulder pads. Double-fold binding for strength and tear resistance. Concealed shoulder pads for extra comfort. Free dual pocket to store an attached thyroid collar and a separate pocket for other items.

### 0.5mm Pb Equivalent Protection

CAT. #	Lead Type	Petite/ Sm/ Med	LG / XL	2X / 3X
VFR	Regular			
VFL	Light Wt.			
VFG	<b>Lead-Free</b>			

### 0.375mm Pb Equivalent Protection

CAT. #	Lead Type	Petite/ Sm/ Med	LG / XL	2X / 3X
VFSR	Regular			
VFSL	Light Wt.			
VFSG	<b>Lead-Free</b>			



(Vests do not include the two 1" safety buckles. If you would like these as a FREE Add-On, please specify at the time of ordering.)

See our "Best-Fit" sizing guide on PG 33

## Skirt-Guard

### All Day Comfort for the Lower Body

Designed for best comfort.. Weight is distributed evenly around hips. **Wrap around protection: 0.5mm Pb Eq front, 0.25mm back.** **Hook and Loop** closure with 2" safety buckle. Free pocket and waist pad. Double-fold binding for strength and tear resistance.

### 0.5mm Pb Equivalent Protection

CAT. #	Lead Type	Petite/ Sm/ Med	LG / XL	2X / 3X
SFR	Regular			
SFL	Light Wt.			
SFG	<b>Lead-Free</b>			



Features an easy to use 2" safety buckle!

## Semi-Guard

Extra Coverage Half Apronette

Convenient hook & loop closure. 0.5mm Pb equivalency protection. Excellent protection for patient and staff.



Default color is 61-Sapphire Blue

Size	W x L
S	12" x 12"
M	18" x 16"
L	24" x 20"
XL	24" x 24"
2XL	36" x 24"
Half	24" x 12"
Kids*	8" x 10"

## Lap-Guard

Buckle Closure Half Apronette

Unbeatable protection for patient and staff. Easy-to-use 1" buckle belt closure. 0.5mm Pb equivalency protection.



### Semi-Guard and Lap-Guard Options

SEMI CAT #	LAP CAT #	Lead Type	Small	Med/Half	Large	X-Large	2XL
SGR	LGR	Regular					
SGL	LGL	Light Wt.					
SGG	LGG	Lead-Free					

### Semi-Guard Sets and Lap-Guard Sets

SEMI CAT #	LAP CAT #	Lead Type
STR	LTR	Regular
STL	LTL	Light Wt.
STG	LTG	Lead-Free

Semi-Guard & Lap-Guard SETS include a 2-Peg Rack and the following apronettes:

Small (yellow)      Large (royal blue)  
 Medium (berry)      X-Large (green)



## Breast-Guard

Female Breast Protection

Allows full viewing of anatomy EXCEPT sensitive breast tissue. Hook and Loop strap drapes around the neck. Adjust shields anywhere along the strap. 0.5mm Pb equiv. protection. Sets are two shields plus one strap

Two convenient sizes:

Adult: 6" wide x 7" high; Child: 4" wide x 4.5" high.


CAT #	Lead Type	Size
BSR	Regular	A (Adult)
BSL	Light Wt.	C (Child)
BSG	Lead-Free	



See our "Best-Fit" sizing guide on PG 33



## Thyro-Guards



### Standard

Binding all around means affordable comfort and flexibility.



### No Binding

No binding means extra comfort, flexibility and lighter weight.



### Mid-Binding

No binding at the top means extra comfort under the chin.

#### 0.5mm Pb Equivalent Protection

CAT. #	Lead Type
TYR	Regular
TYL	Light Wt.
TYG	Lead-Free

CAT. #	Lead Type
TNR	Regular
TNL	Light Wt.
TNG	Lead-Free

CAT. #	Lead Type
TVR	Regular
TVL	Light Wt.
TVG	Lead-Free

#### 0.375mm Pb Equivalent Protection

CAT. #	Lead Type
TYSR	Regular
TYSL	Light Wt.
TYSG	Lead-Free

CAT. #	Lead Type
TNSR	Regular
TNSL	Light Wt.
TNSG	Lead-Free

CAT. #	Lead Type
TVSR	Regular
TVSL	Light Wt.
TVSG	Lead-Free

### Attached Standard

### Attached No Binding

### Attached Mid-Binding

#### 0.5mm Pb Equivalent Protection

CAT. #	Lead Type
TAR	Regular
TAL	Light Wt.
TAG	Lead-Free

CAT. #	Lead Type
TCR	Regular
TCL	Light Wt.
TCG	Lead-Free

CAT. #	Lead Type
TWR	Regular
TWL	Light Wt.
TWG	Lead-Free

#### 0.375mm Pb Equivalent Protection

CAT. #	Lead Type
TASR	Regular
TASL	Light Wt.
TASG	Lead-Free

CAT. #	Lead Type
TCSR	Regular
TCSL	Light Wt.
TCSG	Lead-Free

CAT. #	Lead Type
TWSR	Regular
TWSL	Light Wt.
TWSG	Lead-Free

### Attached Thyroid Collars Info

**All Attached Thyroid Collars include:**

- 1) A snap ring for easy collar attachment.
- 2) Attach anytime with tethered strap.
- 3) Unique 2-in-1 pocket design.

[store collar in one pocket and use other pocket for accessories]

Thyroid collars are 6" tall x 6.5" wide, with a 24" strap.



Attached Thyroid option and our 2-in-1 pocket design!

### Buckle Closure Add-On

If you prefer buckle closure to regular hook & loop, add "-B" to any of the collar numbers above for an additional fee.

(Ex.: TYR-B would be extra)



Buckle closure add-on available!

# Techno-Aide Best Fit Sizing Guide

**Techno-Aide Sizing Charts are based on universal body sizes.** But let's face it... nobody is average! A great apron won't fit like a pair of jeans or a suit. **Aprons are meant to fit multiple body types and sizes!** So, in order to get the "Best Fit for You," please consider the following when measuring yourself for a standard garment:

**PROTECTION IS PRIMARY:** Why are you wearing an apron? Protection from radiation! At Techno-Aide, we understand that comfort is important, but never as important as protection. Our aprons are designed to keep the user safe above all else. But who says you can't add a little style and comfort along the way?

**CIRCUMFERENCE CONSIDERATIONS:** When measuring for a Front Protection Apron, measure from one side of the widest part of your body, around to the other side - the actual distance you want protected. Then, tell us if that measurement is your chest, tummy, or hips.

**HEIGHT CONSIDERATIONS:** In relation to your circumference, do you have a long or short torso? We want to make sure that you are adequately protected!

Front Protection Apron			
Size	Front Width	Length	Circumference
Petite	20"	32"	< 36"
Small	21"	34"	< 40"
Medium	22"	36"	< 44"
Large	24"	38"	< 48"
X-Large	26"	40"	< 52"
2X	28"	40"	< 56"
3X*	30"	40"	< 60"

Vest (Male) & Full Wrap-Around			
Size	Chest/Tummy	Vest Length	Full Wrap Length
Petite	35"-36"	19.5"	32"
Small	37"-38"	20"	34"
Medium	39"-41"	21"	36"
Large	42"-44"	22"	38"
X-Large	45"-49"	23"	40"
2X	50"-54"	24"	40"
3X*	55"-59"	24"	40"

Vest (Female)				
Size	Bust	Waist	Hip	Length
Petite	33"-34"	< 31"	35"-36"	19"
Small	35"-36"	< 33"	37"-38"	19.5"
Medium	37"-38"	< 35"	39"-40"	20"
Large	39"-41"	< 39"	41"-43"	21"
X-Large	42"-44"	< 41"	44"-46"	22"
2X	45"-49"	< 46"	47"-51"	23"
3X*	50"-54"	< 51"	52"-56"	23"

Skirt and Kilt			
Size	Waist	Hip	Length
Petite	25"-27"	32"-34"	19"
Small	28"-29"	35"-36"	19"
Medium	30"-33"	37"-40"	20"
Large	34"-37"	41"-44"	21"
X-Large	38"-41"	45"-48"	22"
2X	42"-45"	49"-52"	22"
3X	46"-50"	53"-57"	22"



**Notes About Measuring!**

Sizes shown for apparel (other than front protection) are **ACTUAL** body measurements.

All lengths are from the **sternal notch or waist** downward, depending on the garment.

**One Size to Fit Them All!**

**Don't get hung up with complicated customization!**

Standard sizes are designed to fit nearly every body type. **As shown to the right**, our standard Large Flex-Guard can be worn properly by three people with completely different body types!

Use our expert guides to find the perfect size today!



\*Each person is wearing a standard (non-custom) large Flex-Guard apron appropriately. Photos provided to show standard sizing fit. Apron shown in default 61-Sapphire material.

# Protective Apparel Add-Ons

## FREE Embroidery Sewn-In

Select products come with the first line (up to 24 characters) of embroidery **FREE!** Add flexibility with an embroidered patch. Choose from a style below. Add flexibility with an embroidery patch! **Embroidered items are non-returnable & non-refundable.**

Available Styles



**All Caps** (default)

**Block**



**Script**

#EML2 | Extra for **second embroidery line**, up to 24 letters.

## Embroidery Add-On Patch

This flexible option has your information embroidered onto a patch. Hook & Loop on the back of the patch and on the garment secure the patch in place.

#EMP (Patch)

(Patch above pocket)

(Hook and loop closure)

## Embroidery Colors

- White* (default)
- Black* (default)
- Lt. Gray*
- Charcoal*
- Royal Blue*
- Red*
- Yellow*
- Orange*
- Tan*
- Brown*

## Binding Colors

- Black** (default)
- Light Gray** (default)
- Navy**
- Royal Blue**
- Red**
- Yellow**
- Orange**
- Tan**
- Pink**
- Purple**
- Green**
- Burgundy**

## FREE Shoulder Strap

Simply ask for it with your order. Hook & loop Strap is attached to one shoulder and reaches across to the other.

#EMS | **FREE**



Helps keep shoulders high and comfortable.

# Protective Media Guide

MEDIA	BENEFITS	PROTECTION	ATTENUATION	WEIGHT
Regular Lead	Most economical and recyclable	100% Lead	0.5mm Pb Equiv. Protection avg. 97% attenuation over 80, 100, 120 KVP	9 - lbs. (based on medium front protection apron)
Lightweight Lead	Lighter than regular lead and recyclable	Lead-Tin	0.5mm Pb Equiv. Protection avg. 96.8% attenuation over 80, 100, 120 KVP	8 - lbs. (based on medium front protection apron)
Lead Free	Lightest Weight, Lead-Free, Environmentally Friendly	Tungsten-Antimony	0.5mm Pb Equiv. Protection avg. 96.6% attenuation over 80, 100, 120 KVP	7 - lbs. (based on medium front protection apron)


# Protective Apparel Fabric Options

## NYLON FABRICS

### FEATHER RIPSTOP FABRIC Light Weight Nylon, Filament Reinforced Fabric



### DIAMOND RIPSTOP FABRIC Medium Weight Nylon, Filament Reinforced Fabric




### NYLON SOLIDS Liquid Repellent, Light & Supple



## SPECIALTY FABRICS

### COLORFUL PRINTS Liquid Repellent, Medium Weight



**NEW** 69-Skulls




70-Blue Plaid



71-Leopard



72-Lots•0•Dots




73-Sleepy Sheep



74-Playful Pups



83-Cool Waves



77-Life Vines



78-Waterfall



80-Red Paws



81-Black Paws



76-Blue Paws



82-Pink Camo



85-Digital Camo



86-Camo Night

Prints are shown  
SMALLER than  
actual size!


### TEXTURED FABRIC Textured High Tech Fabrics



15-Diamondback



16-Crocogator



18-Bronze Tech

## New Premium Fabric Add-On


### NEW Coolwear Fabric

#### Designed for optimum cooling comfort!

Our new Coolwear fabric add-on provides premium cooling comfort all day long! **This premium fabric can now be added to ANY garment!** The polyester mesh lining features air vented space and stretch-in-width for extreme comfort and fit. This innovative add-on is designed for ultimate performance and comfort.

- CP50** - add-on for aprons, vests, skirts, kilts, dental drapes, omni-blankets, & kiddie covers
- CP40** - add-on for half aprons and scolio-guards
- CP25** - add-on for thyroid collars, hats, & gonadal shields

Features premium comfort  
with all day cooling!



# Custom Apparel Quote Form

Please fill out the following form and submit for a pricing quote on all custom apparel. All custom sized apparel will include an additional fee for each item ordered. Custom sized apparel is non-refundable, non-returnable.

## Custom Sized Apparel

Please use the provided CAT numbers and pricing for each custom apparel item.

**ACP** - **\$125** fee for custom Aprons, Vests & Skirts

**ACP2** - **\$45** fee for other custom apparel items (ex: thyroid guards, gonadal guards)

\*3X is the maximum size for standard (listed) pricing. All sizes exceeding 3X will be considered custom products. Additional fees apply.

APRON CAT.# \_\_\_\_\_ DESCRIPTION \_\_\_\_\_ LEAD TYPE \_\_\_\_\_

FABRIC (pg 35-36) \_\_\_\_\_ BINDING COLOR (pg 34) \_\_\_\_\_


EMBROIDERY (OPTIONAL) LINE 1, UP TO 24-LETTERS (FREE) \_\_\_\_\_

EMBROIDERY LINE 2, UP TO 24-LETTERS (\$20.00) \_\_\_\_\_

EMBROIDERY THREAD COLOR (pg 34) \_\_\_\_\_ LETTER STYLE (pg 34) \_\_\_\_\_

ADD ATTACHED THYROID COLLAR? YES NO CAT.# \_\_\_\_\_ (COLOR WILL MATCH APRON)

### Getting Accurate Measurements (all in inches)



**GENDER:** \_\_\_\_\_

**HEIGHT:** \_\_\_\_\_

**BUST/CHEST:** \_\_\_\_\_  
Circumference around the widest part of your chest.

**SIDE-to-SIDE:** \_\_\_\_\_  
The widest part of your body that you want covered by a Front Protection Apron. Please specify the this area (circle): chest / tummy / hips

**WAIST:** \_\_\_\_\_  
Standard Apron: measure your waistline.  
Skirt/Kilt: measure where you want the skirt/kilt top (may be higher than your regular waistline).

**HIP:** \_\_\_\_\_  
Circumference around the widest part of your hips.

**LENGTH:**  
FRONT APRON or WRAP-AROUND: \_\_\_\_\_  
Sternal notch to just above the knee.

**VEST/TORSO:** \_\_\_\_\_  
Sternal Notch to desired length below your waist.

**SKIRT/KILT:** \_\_\_\_\_  
Desired skirt/kilt top (may be above your regular waistline) to just above your knee.

Please submit this information with your order.

# Omni-Guard

## Protective Flexible Shield

Used over a patient or equipment, protects from radiation exposure. Used underneath a patient, prevents scatter radiation. All purpose covering for patients or equipment. 0.5mm Pb equivalency protection. Choose any color fabric.

### 0.5mm Pb Equivalency

CAT. #	Lead Type	Small	Medium	Large	X-Large
OMR	Regular				
OML	Light Wt.				
OMG	<b>LMG Lead-Free</b>				

### 0.375mm Pb Equivalency

CAT. #	Lead Type	Small	Medium	Large	X-Large
OMSR	Regular				
OMSL	Light Wt.				
OMSG	<b>LMG Lead-Free</b>				

Size	Width x Length
S	18" x 18"
M	24" x 24"
L	24" x 36"
X	24" x 48"



## Finger-Guards | Now sold as a single pair!

Radiation reducing Finger-Guard offers extra sterile hand protection from secondary radiation. Multiple options to choose from! **NEW sold as a single pair!**

CAT#	Description	Glove Sizes	NEW QTY
PLF-1	0.18mm Glove	[6.5] [7] [7.5] [8] [8.5] [9]	1 Pair
PFC-1	0.23mm Glove	[6.5] [7] [7.5] [8] [8.5] [9]	1 Pair
PRL-1	0.35mm Glove	[6.5] [7] [7.5] [8] [8.5] [9]	1 Pair



### Attenuation for Finger-Guard | Broad Beam

CAT#	Description	60 KvP	80 KvP	100 KvP	120 KvP
PLF	0.18mm Glove	56.5%	47.1%	41.6%	37.7%
PFC	0.23mm Glove	48.0%	40.0%	32.0%	28.0%
PRL	0.35mm Glove	60.0%	53.0%	46.0%	41.0%

**PLF-1**


Superior tactile sensitivity with excellent attenuation.



Lead-free/Powder-free/Latex-free

**PFC-1**

Excellent tactile sensitivity with good attenuation



Lead-free/Latex-free

**PRL-1**

Reasonable tactile sensitivity with the best attenuation



Lead-free/Powder-free/Latex-free

## Power-Guard

**Colortone accents increase comfort.**

Large lens area for excellent coverage. Soft colored endpiece for comfort and fit. Padded bridge, temples, and endpiece. Available in most prescriptions. Includes premium case.

Lead Equiv.: 0.75mm lens.	<b>Model#</b>	<b>Color</b>	<b>Prescription Options</b>
Weight: 64 grams.	LER-PBPL	Blue/Orange	Single Vision
Frame: Impact resistant polycarbonate.	LER-PSPL	Silver/Pink	Bifocal
	LER-PKPL	Black/Gray	
	Plano Lens		



## Sure-Guard

**Stylish design for medium faces.**

Large lens area for excellent coverage. Regular hinges with wrap around frame. Rubber, ultra-soft, fixed nose piece. Available in almost all prescriptions. Includes premium case.

Lead Equiv.: 0.75mm lens.	<b>Model#</b>	<b>Color</b>	<b>Prescription Options</b>
Weight: 63 grams.	LER-6SPL	Silver	Single Vision
Frame: TR-90 Nylon. (Prescription Lens available)	LER-6KPL	Black	Bifocal
	LER-6RPL	Red	
	LER-6BPL	Blue	
	Plano Lens		



## Astro-Guard

**Side Shield protection.**

Attractive and sturdy women's frames. Flexible temples fit almost any face. Excellent visibility. Available in most prescriptions. Includes premium case.

Lead Equiv.: 0.75mm front and sides.	<b>Model#</b>	<b>Color</b>	<b>Prescription Options</b>
Weight: 66 grams.	LES-AFYKL	Blue/Yellow	Single Vision
	LES-AFPW	Purple/White	Bifocal
	LES-AFGP	Gray/Pink	
	LES-AFOP	Black/Orange	
Frame: Impact resistant plastic.	Plano Lens		



## Cover-Guard

**Comfortable protection over regular glasses.**

Excellent front and side visibility. Provides limited splash protection. Can be worn over prescription eyewear. Regular hinges with molded nose piece. Includes 0.75mm Pb glass side shields. Includes premium case.

Lead Equiv.: 0.75mm front and sides.	<b>Model#</b>	<b>Color</b>
Weight: 85 grams.	LES-CKPL	Black
	LES-CWPL	White
	LES-CTPL	Tortoise
Frame: Black rubberized nylon.	Plano Lens	





## Mobile Apron Z-Rack

Z-Base mobile rack nests with others when not in use. Heavy duty casters on 12G steel base. Chromed-steel posts and hang bar. 60" long x 60" tall bar allows hanging without creasing. Ships @ 35 lbs.

Rack ONLY  
#ARM-UZNH

OR

Rack with  
Ten Hangers  
#ARM-UZ10



## NEW Mobile Apron Z-Rack Middle Bar Add-On

Middle Bar addition to hang vests and skirts! 63" bar will hold up to 150 lbs. (Mobile apron z-rack sold separately)


Bar Add-on  
#ARM-UBAR



## NEW Mobile Apron Z-Rack Storage Base Add-On

Bottom shelf add-on for storing misc. protective accessories! 62" shelf will hold up to 150 lbs. (Mobile apron z-rack sold separately)

Shelf Add-on  
#ARM-UBASE



## Apron Hangers

Designed for standard aprons, panoramic, vests, skirts, etc. Top hook swivels for easy hanging. 21" long chromed-steel with anti-slip tips. Use on ARM-UZNH rack, in lockers, or behind a door. Single ships @ 2 lbs.

Single Hanger  
#ARH-01



Set of 10 Hangers  
#ARH-10



## Mobile Apron Rack

Ten (10) swing-arm mobile garment stand. Durable all-steel construction. 24" x 24" H-Base for stability and easy cleaning. E-Z-Roll swivel locking casters. Convenient handle for easy mobility. White enamel finish. Overall height is 55". Some assembly required. Ships @ 110 lb.

Standard Mobile Rack  
#ARM-100



E-Z Roll, 3" medical grade, swivel, locking casters!

Standard WITH Glove Rack  
#ARM-G60



Arms swing inward to conserve space!

Easy-Clean H-Base!



(Aprons sold separately)

## 5 Arm Apron Rack

Five (5) swing-arm mobile garment stand. Durable all-steel construction with white enamel finish. 20" x 20" H-Base for stability and easy cleaning. E-Z roll swivel locking casters. Convenient handle for easy mobility. Arms extend to 29.5" outward. We offer the ability to choose whether you need right or left swing arms. Ships @ 80 lbs. motor freight.

#ARM-105



You choose the right or left side!



Arms swing inward to conserve space!

E-Z Roll, 3" medical grade, swivel, locking casters!

Easy-Clean H-Base!



(Aprons sold separately)

## Wall Mounted Apron Racks

Ten or five swing-arm wall-mount apron racks. Mounting holes on 16" centers. All-steel durability with white enamel finish.



10-Arm #ARW-10



5-Arm, Swing Right #ARW-R5



5-Arm, Swing Left #ARW-L5

## Glove Adapter

Retrofits to Mobile Rack. Holds six (6) 18" gloves.

#ARG-06



## Apron/Glove Racks

Designed for one apron, but will hold more. All steel, heavy duty construction and a white finish. 16" & 24" holes match most wall studs. Glove holders mounted onto back panel. 28.5" long x 1.75" diameter bar prevents creasing.

**WITHOUT GLOVE HOLDERS**  
#AGR-105



**WITH TWO GLOVE HOLDERS**  
#AGR-110



**WITH FOUR GLOVE HOLDERS**  
#AGR-115



## Apron Peg Racks

Help extend the life of your aprons. Our apron racks are just the thing for you! 6" angled pegs keep garments from slipping. All-steel white enamel finish.

Custom sized racks may be available!

2-Peg  
(for 1 apron)  
#ARP-02



4-peg  
(for 2 aprons)  
#ARP-04



6-peg and 8-peg racks: mounting holes on 16" and 24" centers.

6-peg  
(for 3 aprons)  
#ARP-06



8-peg  
(for 4 aprons)  
#ARP-08



16-peg  
(for 8 aprons)  
#ARP-16



20-peg  
(for 10 aprons)  
#ARP-20






**FREE** Protective Apparel Tracking and Inventory System!

## Exclusive from Techno-Aide!

All new Techno-Aide garments include a scanable QR code for automatic tracking. Upload garment data into your unique ApronHub portal for permanent inventory management. Receive alerts for inspection dates through a customizable format. Retrofit QR code tags onto your existing Techno-Aide or non-Techno-Aide garments. Track inspection history, location, user, etc., through a customizable reports menu. 2D Scanners are available through Techno-Aide or you can use your own 2D-scanner. ApronHub has everything you need to quickly and easily meet the highest QA standards. For more information visit [www.apronhub.com](http://www.apronhub.com) today!








## Accessories

### Tools for Scanning and Labeling Protective Apparel

Stay one step ahead of the inspectors and enhance your QA! All new garments manufactured by Techno-Aide include a scannable QR Code Serial Number label for automated or manual tracking. However, we realize that you may have older, unlabeled garments or garments from another manufacturer. To update all your protective garments, we have designed this retrofit labeling kit so that your garments can be tracked utilizing the most up-to-date tracking technology available.

CAT #	Description
AHSCB	2D Scanner with Cable
AHSXW	2D Scanner Wireless
AHETL	Eyelet Tool
AHES50	Silver Eyelets (50)
AHQRC	QR Code Retrofit Labels (100)
AHDT19	Date Tags: 2019 (50)
AHDT20	Date Tags: 2020 (50)





ADMINISTRATION/MANUFACTURING

7117 Centennial Blvd. Nashville, TN 37209

Orders can be placed online or sent to [orders@techno-aide.com](mailto:orders@techno-aide.com)

For official Quotes: [quotes@techno-aide.com](mailto:quotes@techno-aide.com)

Any questions can be directed to [customerservice@techno-aide.com](mailto:customerservice@techno-aide.com)

P: 800.251.2629 or 615.350.7030

F: 800.554.6275 or 615.350.7879

[techno-aide.com](http://techno-aide.com)