



Patient Handling

2020
PRODUCT
GUIDE

CHECK OUT WHAT'S NEW FOR 2020

Techno-Aide is ready to kick 2020 off with some amazing new products! Here are a few key highlights you can't afford to miss!

New Sani-Prime Disinfectant | PG.22

Available in spray or wipes, this incredible new disinfectant has an astounding 1 minute kill time!

The Largest Selection of Sandbags and Sandsocks Available

Techno-Aide is proud to offer the largest variety of sandbags and sandsocks on the market! Check out our newest shapes, sizes and kits. Check out some of our new options below:

New Sandbags with Grommets | PG.8

New Compression Sandbag Set | PG.8

New Double-Ended Sandbags | PG.9

New Standard Sandbag Sizes | PG.2

New Saddle Sandbags | PG.7

New Sandbag Kits | PG.3

New Gel Sandbags | PG.6


Sandbags

All sandbags are filled with premium sand and come ready to use. Heat sealed inner sleeve prevents the leakage of sand. All seams are sewn and tear resistant. Deep green outer cover is heavy gauge, reinforced vinyl. Every sandbag includes a reinforced webbing handle and weight ID tag.

CAT.#	Weight (lbs.)	Dimensions
SBP-01	1 lb.	4"(w) x 5" (L)
SBP-02	2 lb.	4"(w) x 9" (L)
SBP-03	3 lb.	5"(w) x 9" (L)
SBP-05	5 lb.	7"(w) x 9" (L)
SBF-05	5 lb.	6"(w) x 12" (L)
SBC-05	5 lb.	9"(w) x 9" (L)
SBG-07	7 lb.	10"(w) x 10" (L)
SBF-07	7 lb.	6"(w) x 14" (L)
SBF-10	10 lb.	7"(w) x 16" (L)
SBC-10	10 lb.	11"(w) x 11" (L)
SBP-12	12 lb.	7"(w) x 24" (L)
SBG-13	12 lb.	11.5"(w) x 11.5" (L)
SBP-15	15 lb.	10.5"(w) x 18" (L)
SBC-15	15 lb.	10.5"(w) x 15" (L)
SBG-15	15 lb.	12"(w) x 12" (L)
SBC-20	20 lb.	12"(w) x 14" (L)
SBC-27	27 lb.	18.5"(w) x 18.5" (L)
SBG-02	2 lb.	7"(w) x 7" (L)
SBR-06	6 lb.	8.5"(w) x 10" (L)
SBR-08	8 lb.	8.5"(w) x 12" (L)
SBR-20	20 lb.	10.5"(w) x 22" (L)
SBR-23	23 lb.	11"(w) x 23" (L)



All Sandbags include free weight ID tag



Sandbags can be stacked to provide extra support during procedures!



Sandbag Kits

Stack up savings by ordering kits!

5 lb. Cervical | SBK-CA

CAT.#	Weight (lbs.)	Dimensions	Quantity
SBC-05	5 lb.	9"(w) x 9" (L)	2

10 lb. Cervical | SBK-CB

CAT.#	Weight (lbs.)	Dimensions	Quantity
SBC-10	10 lb.	11"(w) x 11" (L)	2

15 lb. Cervical | SBK-CD

CAT.#	Weight (lbs.)	Dimensions	Quantity
SBG-15	15 lb.	12"(w) x 12" (L)	2

20 lb. Cervical | SBK-CC

CAT.#	Weight (lbs.)	Dimensions	Quantity
SBC-20	20 lb.	12"(w) x 14" (L)	2

Femoral/Angio | SBK-FB

CAT.#	Weight (lbs.)	Dimensions	Quantity
SBF-05	5 lb.	6"(w) x 12" (L)	1
SBF-07	7 lb.	6"(w) x 14" (L)	1
SBF-10	10 lb.	7"(w) x 16" (L)	1

Athletic/Bariatric | SBK-AA

CAT.#	Weight (lbs.)	Dimensions	Quantity
SBG-05	7 lb.	10"(w) x 10" (L)	2
SBF-10	10 lb.	7"(w) x 16" (L)	2
SBC-20	20 lb.	12"(w) x 14" (L)	2

General Set A | SBK-GA

CAT.#	Weight (lbs.)	Dimensions	Quantity
SBP-03	3 lb.	5"(w) x 9" (L)	2
SBP-05	5 lb.	7"(w) x 9" (L)	1
SBF-05	5 lb.	6"(w) x 12" (L)	1
SBF-07	7 lb.	6"(w) x 14" (L)	2
SBC-10	10 lb.	11"(w) x 11" (L)	2

General Set B | SBK-GB

CAT.#	Weight (lbs.)	Dimensions	Quantity
SBP-03	3 lb.	5"(w) x 9" (L)	2
SBF-07	7 lb.	6"(w) x 14" (L)	2
SBF-10	10 lb.	7"(w) x 16" (L)	2

Pediatric | SBK-PA

CAT.#	Weight (lbs.)	Dimensions	Quantity
SBP-01	1 lb.	4"(w) x 5" (L)	1
SBP-02	2 lb.	4"(w) x 9" (L)	1
SBP-03	3 lb.	5"(w) x 9" (L)	1
SBP-05	5 lb.	7"(w) x 9" (L)	1
SBF-07	7 lb.	6"(w) x 14" (L)	1

Pediatric Set B | SBK-PB

CAT.#	Weight (lbs.)	Dimensions	Quantity
SBP-03	3 lb.	5"(w) x 9" (L)	3

Pediatric Set C | SBK-PC

CAT.#	Weight (lbs.)	Dimensions	Quantity
SBF-07	7 lb.	6"(w) x 14" (L)	3



Sandbag Kits

Stack up savings by ordering kits!

General Set C | SBK-GC

CAT.#	Weight (lbs.)	Dimensions	Quantity
SBP-01	1 lb.	4"(w) x 5" (L)	1
SBP-03	3 lb.	5"(w) x 9" (L)	1
SBF-05	5 lb.	6"(w) x 12" (L)	1
SBP-05	5 lb.	7"(w) x 9" (L)	1
SBG-05	7 lb.	10"(w) x 10" (L)	1
SBF-07	7 lb.	6"(w) x 14" (L)	1
SBF-10	10 lb.	7"(w) x 16" (L)	1
SBC-15	15 lb	12"(w) x 12" (L)	1

General Set 1 | SBK-CF1

CAT.#	Weight (lbs.)	Dimensions	Quantity
SBG-03	3 lb.	7"(w) x 7" (L)	2
SBF-07	7 lb.	6"(w) x 14" (L)	2
SBP-12	12 lb.	7"(w) x 24" (L)	2
SBG-13	13 lb.	11.5"(w) x 11.5" (L)	1

Femoral/Angio | SBK-FA

CAT.#	Weight (lbs.)	Dimensions	Quantity
SBF-05	5 lb.	6"(w) x 12" (L)	1
SBP-05	5 lb.	7"(w) x 9" (L)	1
SBF-07	7 lb.	6"(w) x 14" (L)	1
SBF-10	10 lb.	7"(w) x 16" (L)	1

Long Handle | SBK-CS

CAT.#	Weight (lbs.)	Dimensions	Quantity
SBC-05	5 lb.	9"(w) x 9" (L)	1
SBC-10	10 lb	11"(w) x 1" (L)	1
SBC-15	15 lb	12"(w) x 12" (L)	1
SBC-20	20 lb	12"(w) x 14" (L)	1


Specialy designed kits to meet every need!
Stack up savings by ordering kits!



Sandsocks

Sandsocks are loosely filled sandbags that contour to a broad range of shapes and forms. Stabilizes hard-to-hold and irregular anatomy. Eliminates the need for an additional person to hold the patient. Double seams for strength and longevity. Flexible, heavy gauge, reinforced vinyl. Only available in "honey" color.

CAT.#	Weight (lbs.)	Dimensions
SBS-01	1 lb.	2"(w) x 8" (L)
SBS-03	3 lb.	4"(w) x 12" (L)
SBS-04	3.5 lb.	8"(w) x 10" (L)
SBS-05	5 lb.	5"(w) x 15" (L)
SBS-07	7 lb.	6"(w) x 18" (L)
SBS-08	8 lb.	7"(w) x 22" (L)
SBS-10	10 lb.	6"(w) x 20" (L)
SBS-12	12 lb.	6"(w) x 25" (L)
SBS-28	28 lb.	6"(w) x 28" (L)
SBS-40	15 lb.	6"(w) x 40" (L)



Sandsocks stabilize hard-to-hold and irregular anatomy!

Sandsock Kits

Sandsocks are loosely filled sandbags that contour to a broad range of shapes and forms. Stabilizes hard-to-hold and irregular anatomy. Eliminates the need for an additional person to hold the patient. Double seams for strength and longevity. Flexible, heavy gauge, reinforced vinyl. Only available in "honey" color.



#SBK-SA |

Included Sandsocks			
CAT.#	Weight (lbs.)	Dimensions	Quantity
SBS-01	1 lb.	2"(w) x 8" (L)	1
SBS-03	3 lb.	4"(w) x 12" (L)	1
SBS-05	5 lb.	5"(w) x 15" (L)	1
SBS-10	10 lb.	6"(w) x 20" (L)	1
SBS-12	12 lb.	6"(w) x 25" (L)	1

#SBK-DRE |

Included Sandsocks			
CAT.#	Weight (lbs.)	Dimensions	Quantity
SBS-01	1 lb.	2"(w) x 8" (L)	2
SBS-03	3 lb.	4"(w) x 12" (L)	2
SBS-05	5 lb.	5"(w) x 15" (L)	4
SBS-28	10 lb.	6"(w) x 28" (L)	2
SBS-40	12 lb.	6"(w) x 40" (L)	2

NEW Gel Sandbags

Our NEW Gel Sandbags are one of the most versatile positioners available. Made of a solid, non-conductive, puncture and tear resistant, cross lined polymer. These sandbags will not leak, ooze or evaporate! Antimicrobial, hypoallergenic and latex-free, these sandbags will not harden over time. The 0.25" thick gel is equivalent to 0.051mm aluminum. We offer a large assortment of sizes and thickness to suit a variety of needs and situations.

Pediatric Gel Sandbags

CAT.#	Weight (lbs.)	Dimensions
YG-6000	2 lb.	4.5"(W) x 6" (L) x 1.5"(H)
YG-6001	2 lb.	2"(W) x 6" (L) x 1.5"(H)
YG-6002	2 lb.	4.5"(W) x 8" (L) x 1.5"(H)
YG-6003	3 lb.	4.5"(W) x 10" (L) x 1.5"(H)

Neonatal Gel Sandbags

CAT.#	Weight (lbs.)	Dimensions
YG-6018	2 lb.	1"(W) x 8" (L) x 1"(H)
YG-6019	2 lb.	1.5"(W) x 6" (L) x 1"(H)
YG-6020	2 lb.	1.5"(W) x 4" (L) x 0.75"(H)
YG-6021	2 lb.	1"(W) x 6" (L) x 0.75"(H)

Standard Gel Sandbags

CAT.#	Weight (lbs.)	Dimensions
YG-6004	5 lb.	4.5"(W) x 12" (L) x 1.5"(H)
YG-6008	5 lb.	4.5"(W) x 10" (L) x 2"(H)
YG-6010	4 lb.	4.5"(W) x 12" (L) x 2"(H)
YG-6011	5 lb.	5"(W) x 14" (L) x 2.5"(H)
YG-6012	12 lb.	12"(W) x 16" (L) x 1.5"(H)
YG-6013	6 lb.	4.5"(W) x 18" (L) x 2"(H)
YG-6014	6 lb.	6"(W) x 18" (L) x 2"(H)
YG-6015	10 lb.	5"(W) x 21" (L) x 2.5"(H)
YG-6016	4 lb.	5"(W) x 12" (L) x 3"(H)
YG-6017	4 lb.	7"(W) x 13" (L) x 3"(H)
YG-3017	4 lb.	5"(W) x 14" (L) x 2"(H)





Gel Sandbags
are 100 %
Radiolucent!



NEW Saddle Sandbags

Our NEW Saddle Sandbags are designed for easy handling and extra patient comfort during procedures. Perfect for spine imaging or stabilizing body parts during critical positioning or trauma procedures.

CAT.#	Weight (lbs.)	Dimensions (L x W)
SDS-05	5 lbs.	12" x 10.5"
SDS-10	10 lbs.	17.25" x 11.5"
SDS-15	15 lbs.	22" x 11.5"
SDS-20	20 lbs.	23.25" x 13.5"
SDS-25	25 lbs.	23.5" x 13.5"




NEW Compression Sandbag Set

This new kit includes two SK-711 (7 lb. sandbag with grommets) and a denier compression band. Band measures 10" (W) x 36" (L) and features easy "on and off" metal hooks to facilitate sandbag attachments. ALSO includes two snap screws to securely attach the sandbag with the strap if desired.

Immobilize patients without the need for hook & loop!

#SBK-CO |



NEW Sandbags with Grommets

Our standard sandbags can now feature metal grommets at one end. This feature allows sandbags to hang on a hook for convenient storage! Sandbags with grommets are available up to 7 lbs.

CAT.#	Weight (lbs.)	Dimensions (L x W)
SK-111	1 lbs.	6" x 4"
SK-211	2 lbs.	10" x 4"
SK-311	3 lbs.	10" x 5"
SK-411	5 lbs.	13" x 6"
SK-711	7 lbs.	14" x 6"



AC Joint Sandbags

Acromioclavicular imaging requires the use of two 10 lb. sandbags that cannot be held in the hands. Techno-Aide's AC joint sandbags feature straps that attach at the wrist! This design allows the patient's shoulders to relax, increasing the possibility of demonstrating a small AC separation.



Single Sandbag

SBC-AC |

A single 10 lb AC joint sandbag. Sandbag measures 11" x 11".



Sandbag Set

SBK-AC |

(Set of two)

A set of two 10 lb AC joint sandbags.



Handle Sandbags

Our standard sandbags with an easy-grip handle. This alternative grip option provides additional comfort for certain imaging needs.

Single Handle Sandbag

SBC-HL |

A single 10 lb sandbag, with a handle. Sandbag measures 11" x 11".



Handle Sandbag Kit

SBK-HL |

(Set of two)

A set of two 10 lb handle sandbags.



NEW Double-End Sandbags


These sandbags are now available with web handles at both ends! Handles on each end provides extra stability during imaging procedures.

CAT.# **Weight (lbs.)** **Dimensions (L x w)**

SBC-14	10 lbs.	16.5" x 7"
SBC-24	20 lbs.	23" x 8"
SBC-34	30 lbs.	26.5" x 11"
SBC-44	40 lbs.	31" x 11"



Sandbag Colors




Radiolucent Immobilizer Strap

Comfortably secures patient position and eliminates motion. Helps prevent patient falls without limiting respiration or circulation. Strap is a heavy gauge reinforced vinyl. Fast and easy to use hook and loop closure. Easy to remove in case of emergency. **BLUE is the default color.** Colors options are for Immobilizer Straps only. Hook and Loop is black.

CAT.# Width x Length

RDH-060	7" x 60"
RDH-072	7" x 72"
RDH-084	7" x 84"
RDH-096	7" x 96"
RDH-120	7" x 120"
RDP-060	14" x 60"
RDP-072	14" x 72"
RDP-084	14" x 84"
RDP-096	14" x 96"
RDP-120	14" x 120"
RDW-060	20" x 60"
RDW-072	20" x 72"
RDW-084	20" x 84"
RDW-096	20" x 96"
RDW-120	20" x 120"



Universal Restraint

Universal clamp fits most imaging tables. These nylon straps firmly and comfortably hold the patient to the table with hook and loop closures. Brackets are stainless steel for long life.

CAT.# Width x Length

RDS-12	6" x 52"
RDS-22	10" x 72"



Elastic Immobilizer

Designed for superior stability. Strap extends then crosses over a patient where they are secured with a hook and loop closure. Three standard lengths; custom sizes may be available.

CAT.# Width x Length

RDF-084	6" x 84"
RDF-096	6" x 96"
RDF-120	6" x 120"



Traction Hand-Hold Straps

Straightening the legs easily applies traction. Hook and loop hand-hold straps provide secure grip.

MANUAL #RDT-HN |

Hand-Hold Straps



Traction Hand-Hold Straps

Primarily for elderly or unconscious patients. Rigid foot plate provides stable, steady support.

AUTOMATIC #RDT-SH |

Buckle Straps



Lowers shoulders for cervical imaging!

Standard & Bariatric Leg Supports

Safely supports and positions patient leg. Easy to use Posi-Lock height adjustment. The calf support comes with comfortable nylon covered pad. Available in standard or bariatric designs. Sturdy and durable all steel frame. Shipping weight: 14-19 lbs.

CAT.#	Style	Base Size (W x L)	Support Size (W x L)	Lift Height Range
LGS-09	Standard	9" x 12"	6.5" x 9.5"	14.5" - 19"
LGS-B11	Bariatric	15" x 18"	6.5" x 9.5"	14.5" - 19"



Available in standard and bariatric!

Lateral Chest Support

Height adjustable bar provides stability for patients of almost every height. Helps reduce re-takes. Cast aluminum base easily mounts to the wall. Repositionable aluminum bar is comfortable to grip.

CAT.#	Height
RLC-36	36"
RLC-48	48"



Caliper

Accurately measures body thickness for x-ray, up to 21" in depth. Calibrated in both inches and cm. Made of durable aluminum. 1" wide x 21.5" tall x 10 1/8" leg. Ships @ 1 lb.

#CAL-21



Head Immobilizer

Safely supports and positions patient head. Solid steel angles with soft, vinyl covered cushions. Blocks with handles weigh 15-lbs each. Cushions: 8" w x 6" h x 3" d. Shipping weight: 32 lbs.

(Edges may appear on images using low kVp.)

#RHI-AB



Head Paddles

Ideal for a designated person to keep patient's head comfortable and steady. Rigid vinyl discs with comfort-grip handles. Coated foam cushions: 7" dia. x 1.5" thick. Shipping weight: 4 lbs.

COATED
#RHI-CP

NON-COATED
#RHI-HP




Regular Transfer Board

Allows safe and efficient transfer of patients for general imaging, MRI, and CT. Semi rigid slick material makes positioning under the patient easy. Transfer boards are radiolucent and can be used in the imaging field. Conveniently located handgrips allow optimal movement. Boards are made of durable high density polyethylene. Color: White. MR safe. Has a 3/16" thickness. These boards ship at Oversize Rates.

REGULAR BOARDS (white)

CAT#	Dimensions	Description
TBS-2372	23"(w) x 72"(l)	standard
TBN-1872	18"(w) x 72"(l)	narrow
TBB-3272	32"(w) x 72"(l)	bariatric
TBH-2332	23"(w) x 32"(l)	half

FOUR SIZES TO CHOOSE FROM!




Anti-Static Transfer Board

Anti-static boards are made of UHMW (ultra high molecular weight polyethylene). Transfer boards are radiolucent and can be used in the imaging field. Conveniently located handgrips allow optimal movement. Color: Black. Has a 3/16" thickness. These boards ship at Oversize Rates. MR safe.

ANTI-STATIC BOARDS (black)


CAT#	Dimensions	Description
TBS-2372AS	23"(w) x 72"(l)	standard
TBN-1872AS	18"(w) x 72"(l)	narrow
TBB-3272AS	32"(w) x 72"(l)	bariatric
TBH-2332AS	23"(w) x 32"(l)	half



Engraved Transfer Option

Personalize your transfer boards for your facility. Each board can be CUSTOMIZED to make sure your boards come back to YOU!

#TBS-ENGRAVE | Call for pricing



Restraint Straps

Super strong 2" nylon webbing. Secure snap buckle closure.

CAT#	Girth	Description
TBR-S72	72"	standard/half
TBR-N60	60"	narrow
TBR-B90	90"	bariatric



Lifting Straps

Convenient nylon straps loop through hand holds. Provides better grip. Provides extra length for better reach. Ships @ 1 lb.

#TBS-ST2 | Per Pair



Board Wall Rack

Two 6" pegs are angled to keep board from slipping. Mounting holes are on vertical centers. Steel with white enamel. Ships @ 4 lbs.

#TBR-2P



Portable Blanket Warmer Bags

With AC or 12V Power Supplies

Designed for radiology and CT departments, these specially insulated blanket holders keep blankets warm. The durable and washable nylon exterior bag features a handy hook and loop closing flap. The removable interior heating elements keep the temperature at a steady 130° - 140°F when plugged into an optional, low voltage power supply. These lightweight and portable bags are designed and assembled in the USA and come with a 1-year warranty.



HOLDS 2-3 BLANKETS

- #BWS-03-AC
- #BWS-03-DC
- #BWS-03-CB

Call for pricing

HOLDS 4-5 BLANKETS

- #BWS-05-AC
- #BWS-05-DC
- #BWS-05-CB

Call for pricing

HOLDS 6-7 BLANKETS

- #BWS-07-AC
- #BWS-07-DC
- #BWS-07-CB

Call for pricing

Power Options
 Choose between an AC Adapter (AC), DC Adapter (DC) or both (CB)!

Blanket Warmer Cabinets

Designed for radiology and CT centers. These stainless steel blanket warmers are adjustable from 98° to 180°F (37° to 82°C) with the help of an intelligent 4-digit LED controller. With no moving parts and an audio-visual temperature alarm, these heavy duty units are designed for safety and built to last. All three units come with hospital grade power cords. The two largest units include locking casters. Operational at either 120VAC or 220VAC. All units are UL & CSA approved.



COUNTERTOP UNIT

Holds 7 bed sized blankets.
 16" x 24" x 20"
 70 lbs.

#BW-210
 Call for pricing

SHORT CABINET

Holds 25 bed sized blankets.
 22" x 29" x 40"
 170 lbs.

#BW-710
 Call for pricing

TALL CABINET


Holds 50 bed sized blankets.
 22" x 29" x 70"
 350 lbs.

#BW-1400
 Call for pricing

2-Step Comfort Top Weight Bearing Platform | Closed Cell

Allows for weight bearing imaging of the knees, ankles, and feet. Three receptor slots on the top platform and two slots on the bottom platform. A 52" high safety rail provides excellent patient stability. **Comfort Top:** Black, 6 lb high density crosslink closed cell foam for comfort and support. 350-lb. weight capacity. **Platform heights:** 11.5" and 16.25". All steel frame with 30"(L) x 20"(W) base.

CAT.#	Foam Steps	Weight	Shipping Weight	Channels
WMP-16	2 (Both Steps)	64 lbs	105 lbs	1 1/16" wide
WMP-24	1 (Top only)	64 lbs	105 lbs	1 1/16" wide



Comfort Top made of 6 lb closed cell foam!


Easy to move with medical-grade casters!



2-Step Durability Top Weight Bearing Platform Stand | Polyethylene

Allows for weight bearing imaging of the knees, ankles, and feet. Three receptor slots on the top platform and two slots on the bottom platform. A 52" high safety rail provides excellent patient stability. **Durability Top:** Black, 6 lb high density crosslink closed cell foam for comfort and support. 350-lb. weight capacity. **Platform heights:** 11.5" and 16.25". All steel frame with 30"(L) x 20"(W) base.

CAT.#	Weight	Shipping Weight	Channels
WMP-22	105 lbs	160 lbs	1 1/16" wide



Durability Top made of Polyethylene!




3-Step Comfort Top Weight Bearing Platform | Closed Cell

Designed for tube stands that don't go low enough to the floor to allow for proper weight bearing imaging. Three receptor slots on the top platform and two slots on the middle platform. 59" high safety rail provides for patient stability. **Comfort Top:** Black, 6 lb high density crosslink closed cell foam for comfort and support. 250-lb. weight capacity.

Platform heights: 8.5", 19.5" and 23". All steel frame with 42"(L) x 20"(W) base.

CAT.#	Weight	Shipping Weight	Channels
WMP-14	92 lbs	158 lbs	1 1/16" wide



Easy to move with medical-grade casters!

Comfort Top made of 6 lb closed cell foam!




3-Step Durability Top Weight Bearing Platform Stand | Polyethylene

Designed for tube stands that don't go low enough to the floor to allow for proper weight bearing imaging. Three receptor slots on the top platform and two slots on the middle platform. 59" high safety rail provides for patient stability. **Durability Top:** Black, high-density, solid polyethylene with anti-slip matting. 350-lb. weight capacity.

Platform heights: 8.5", 19.5" and 23". All steel frame with 42"(L) x 20"(W) base.

CAT.#	Weight	Shipping Weight	Channels
WMP-28	183 lbs	200 lbs	1 1/16" wide



Easy to move with medical-grade casters!

Comfort Top made of 6 lb closed cell foam!



NEW Ultrasound Exam Weight Bearing Step Platform

Techno-Aide’s Ultrasound Exam Step Platform permits efficient and accurate exams of the upper and lower leg during venous insufficiency studies and Doppler exams. The patient is placed in an optimal position for easy ergonomic scanning by the ultrasonographer promoting a better scanning environment. Designed for patients up to 350 lbs. Easy to store and move with medical grade casters. Easy to keep clean. Platform is made from stainless steel.

WMS-20 |

Overall	Top Step	Bottom Step
54.5" tall	8" tall	9" tall
26" long	16" deep	10" deep
20" wide	19" wide	19" wide



WMS-10 |

Overall	Top Step	Bottom Step
54.5" tall	8" tall	7" tall
28" long	11" deep	15" deep
15.5" wide	15.5" wide	15.5" wide



Easy Imaging With Ultrasound Platform

Ultrasound weight bearing step platform makes it easy to get accurate exams of upper and lower legs during venous insufficiency studies and Doppler exams.



Difficult Imaging Without Platform

Exams are difficult and uncomfortable for both patients and technologists without specialty designed platforms. Accurate exams of upper and lower legs are harder to achieve.



Radiology Positioning Stool

Built with an all natural wood finish. Features anti-slip treads on both platform surfaces for increased safety and durability. Included casters on both the back and side for easy tilt-n-go transport. Built-in X-Ray Cassette slot designed to hold film or digital panels. This unit has a 500lb weight capacity. Assembly required upon delivery.



CAT.#	Overall Size (W x L x H)	Top Step	Bottom Step
WMP-726	24" x 27" x 56"	24" x 18" x 18"	24" x 9" x 9"

X-RAY CASSETTE SLOT		
Cassette Types	Width	Depth
Film or Digital	24"	18"

Defecogram Chair

Designed for use for patients with evacuation dysfunction. Defecography is a dynamic radiological examination that produces an anatomical depiction of the changes in the rectum and anal canal, and provides physicians with functional information about the movements of the pelvic floor at rest, during voluntary contraction, and with defecation. The chair allows radiography of a patient's bowel movement in radiology, rather than the more costly MRI/CT. Manufactured of Schedule 40 1.25" healthcare-grade PVC, this chair is non-returnable. Manufactured in USA. 1 year limited warranty included.

#CRH-DFC



Features
300 lb capacity unit
Locking casters,
Removable 10-QT basin
Wrap around skirt for basin modesty
9" raised heel support.

3-Stair Chair Combo

Designed for use with equipment that needs a Defecogram chair taller than allowed for our standard CRH-DFC.

#CRH-DFS



Sterile Equipment Drapes

We proudly offer a wide range of drapes that have been form-fitted for C-Arms to cover the image intensifier, x-ray tube, and flex arm. Our drapes help you eliminate the frustration and time of buying the wrong drape. Each drape is manufactured from 2 mil clear polyethylene and is latex-free. Each drape is designed to be durable and budget-friendly.

CAT#	Sterile Drape Description/Fit	QTY
SED-4002	Elastic-end drape for Mini-C-arms: Officemate, Fluoroscope I and Fluoroscope III with 3/4" FOV	40
SED-4003	Elastic-end drape for Mini-C-arms: Fluoroscanner Premier/Encore, Fluoroscanner/Hologic Insight, Orthoscan, Lunar Orca, OEC with all FOV sizes, Xi Tex/Xi Scan	40
SED-1001	Standard C-arm drape, 42" x 74" (compatible with full-size C-arms: OEC, Ziehm, Philips, Comed)	30
SED-1002	Consumable pack includes: C-arm drape, 24" x 20" footswitch cover, 36" x 36" image intensifier & x-ray tube cover, and 5 clips. Fits OEC 9600/9800/9900.	20
SED-1003B	Banded bag for 9" image intensifier, 30" x 30"	20
SED-1003D	Dome cover with latex-free elastic, 18" deep	20
SED-8004F	Foot switch cover, 24" x 20"	100
SED-8003F	Foot switch cover, 17" x 15"	100



Mammography Biopsy Stretcher Chair

Ideal for use as a procedural chair or treatment table. The chair's versatility allows it to be used for pre-induction, transport, treatment, and recovery. Controls on either side of the chair allow height adjustment for optimal patient positioning. Seat height ranges from 23.5" to 31.5". Premium 5" Tente casters allow for easy maneuvering. Backrest and leg section adjust from 90° upright to full spine, and 10° Trendelenburg. Features fold-down handrails and 3" comfort mattress. Weight capacity: 325 lbs.

Default Color: Teal. Other colors area available at an additional cost.

#CRH-MBC | (Call for Price)

Chair Specifications

- **High Position Height:** 31.5"
- **Low Position Height :** 23.5"
- **Patient Surface:** 22" x 70.5"
- **Backrest Adj:** 90°
- **Trendelenburg:** 10°
- **Pad:** 3" thick mattress
- **Weight Capacity:** 325 lbs.
- **Default Color:** Teal



Video Fluoroscopic Chair

Ideal solution for radiology, mammography, and transport. Specially designed back has removable section to accommodate the space confinements of large imaging equipment. Easy controls allow height adjustment and full swivel for perfect patient positioning. Seat height range: 23.5" to 31.5". Premium 5" Tente casters make for easy maneuvering. Backrest and leg section adjust from 90° upright to full supine, and 10° Trendelenburg. Features a removable back section and 3" comfort mattress.

Default Color: Teal. Other colors area available at an additional cost.

#CRH-VIC | (Call for Price)

Chair Specifications

- **High Position Height:** 31.5"
- **Low Position Height :** 23.5"
- **Patient Surface:** 22" x 70.5"
- **Backrest Adj:** 90°
- **Trendelenburg:** 10°
- **Pad:** 3" thick mattress
- **Weight Capacity:** 325 lbs.
- **Default Color:** Teal



Mammography Exam Capes

Maintains patient modesty and confidence. Provides protection against cross-contamination. Comfortable, non-irritating materials. Eliminates laundry and replacement costs.

Pink Cape

#GMC-22 | Per case

Features a soft 3-ply tissue.
Open front & back.

Size: 30" x 21".
100 capes per case.
Color: PINK



White Cape

#GMC-21 | Per case

Features a soft 3-ply tissue.
Open front & back.

Size: 30" x 21".
100 capes per case.
Color: WHITE



Standard Exam Gown

#GXE-55 | Per case

Features a soft poly/tissue.
Open front & back.

Size: 30" x 42".
50 gowns per case.
Color: BLUE



Extrasize Exam Gown

#GXS-57 | Per case

X-LARGE. Non-woven.
Open sides with ties.

Size: 40" x 50".
25 gowns per case.
Color: BLUE



Stretcher Sheets

#GSS-49 | Per case

Features a 2-ply poly/tissue.
Water resistant.

Size: 40" x 90".
50 sheets per case.
Color: WHITE/BLUE



Pillow Cases

#GPC-23 | Per case

Features a 2-ply poly/tissue.
Water resistant.

Size: 21" x 30".
100 cases per case.
Color: BLUE




True Wipes

A new standard for Lint-Free Wipes

Having passed the USP-797 clean environment testing, True-Wipes are ideal for lint-free cleaning of: CR/DR/CT/mammography screens, x-ray cassettes, work stations, PACS monitors, microscopes, lenses and general work surfaces. These highly absorbent 9" x 9", lint-free wipes can be used with screen cleaner, alcohol, bleach, and peroxide to clean and disinfect. Wipes are packaged in a resealable double bag to avoid contamination from typical box dispensers. Reinforces your vital QA standards.

#TW-200 | per bag
(200 total wipes)



EASY SCREEN™ Cleaning Wipes

Touch-Screen cleaner that “works at the speed of technology.” Rapidly cleans dirt, grime, fingerprints and smudges from healthcare equipment. Helps prevent cross-contamination with a 70% isopropyl alcohol (IPA) solution. Commonly used for **Touch-Screens, Tablets, Lighting, and most other imaging equipment.** Effectively treats acrylic, polycarbonate, glass, stainless steel, and more.

#GWP-ESW
(12 tubs of 70 wipes)



SANI-CLOTH® AF3 Alcohol-Free Wipes

Cleans, disinfects, deodorizes & fragrance-free. Alcohol content: ALCOHOL-FREE (less than 0.016%). Recommended Contact Time: 3-minutes or less. Perfect for **MAMMOGRAPHY, ULTRASOUND, IMAGING EQUIPMENT** and daily use items like table pads, sandbags, coated sponges, transfer boards, aprons, shields, vinyl straps... and much more Meets CDC, OSHA and CMS Tag F441 guidelines.

CAT.#	Wipe Size	Quantity
GWP-WAF	6" x 6.75"	Tub of 160 wipes
GWP-WAFCS	6" x 6.75"	Case of 12 tubs



SANI-CLOTH® Bleach Wipes

Ideal for disinfecting high risk areas endemic with Multidrug-Resistant Organisms, Clostridium difficile spores, Norovirus, MRSA, and 50 other pathogenic microorganisms. Recommended Contact Time: 4-minutes. Compatible with a wide range of surfaces and equipment. Meets CDC, OSHA and CMS Tag F441 guidelines with a 1:10 bleach dilution.

CAT.#	Wipe Size	Quantity
GWP-B12CS	6" x 10.5"	12 tubs of 75 wipes
GWP-BB14CS	7.5" x 15"	6 tubs of 65 wipes



NEW SANI-PRIME® Germicidal Cleaner

Powered by a proprietary blend of quaternary ammonium, isopropyl alcohol (IPA) and ethanol called ACCELOQUAT™, our new Sani-Cloth Prime wipes are the **ULTIMATE** option in germicidal cleaning. This unique combination delivers **SPEED** with a true 1-minute bactericidal, fungicidal, virucidal and tuberculocidal disinfectant—and the **POWER** to destroy over 50 microorganisms, including 17 multi-drug resistant organisms (MDROs) like 5 MRSA strains, 8 CRE strains and VRE.

Ideal for hard nonporous surfaces such as: bed railings, blood glucose meters (glucometers), cabinets, carts, chairs, counters, dental unit instruments trays, exam tables, gurneys, isolettes, IV poles, stethoscopes, stretchers, tables, telephones, toilet seats, diagnostic equipment, patient monitoring equipment, patient support and delivery equipment, and many more! EPA-registered intermediate level disinfectant. Meets CDC, OSHA and infection control guidelines.

SANI-PRIME® Germicidal Spray

GWP-PRIMES
(Case of 9, 32 oz bottles)


Germicidal spray comes in a 32 oz, easy-spray bottle.
Sold as a case of 9 bottles.



SANI-PRIME® Germicidal Wipes

GWP-PRIMET
(Case of 12 tubs)

Features 160 germicidal wipes per tub.
Sold as a case of 12 tubs.



SAVE TIME AND KILL OFF 50 PATHOGENS WITH A 1-MINUTE CONTACT TIME!



ADMINISTRATION/MANUFACTURING

7117 Centennial Blvd. Nashville, TN 37209

Orders can be placed online or sent to orders@techno-aide.com

For official Quotes: quotes@techno-aide.com

Any questions can be directed to customerservice@techno-aide.com

P: 800.251.2629 or 615.350.7030

F: 800.554.6275 or 615.350.7879

techno-aide.com