

Thyroid Collars

2019 PRODUCT GUIDE

Protection Options

What to know when comparing protective apparel.

MEDIA	BENEFITS	BENEFITS PROTECTION ATTENUATION		WEIGHT
Regular Lead	Most economical and recylable	100% Lead	0.5mm Pb Equiv. Protection avg. 97% attenuation over 80, 100, 120 KVP	9 - lbs. (based on medium front protection apron)
Lightweight Lead	Lighter than regular lead and recylable	Lead-Tin	0.5mm Pb Equiv. Protection avg. 96.8% attenuation over 80, 100, 120 KVP	8 - Ibs. (based on medium front protection apron)
"LMG"*	Lightest Weight, Lead-Free, Environmentally Friendly	Tungsten-Antimony	0.5mm Pb Equiv. Protection avg. 96.6% attenuation over 80, 100, 120 KVP	7 - lbs. (based on medium front protection apron)

Thyro-Guards



Standard

Binding all around means affordable comfort and flexibility.



No Binding

No binding means extra comfort, flexibility and lighter weight.



Mid-Binding

No binding at the top means extra comfort under the chin.

C).	5n	nn	٦Ł	ď	Eq	UI	val	len	tͰ	ro'	tec	tion	
---	----	----	----	----	---	----	----	-----	-----	----	-----	-----	------	--

CAT.#	Lead Type	CAT. # Lead Type	CAT. #	Lead Type
TYR	Regular	TNR Regular	TVR	Regular
TYL	Light Wt.	TNL Light Wt.	TVL	Light Wt.
TYG	LMG Lead-Free	TNG LMG Lead-Free	TVG	LMG Lead-Free

0.375mm Pb Equivalent Protection

CAT.#	Lead Type	CAT. # Lead Type	CAT. #	Lead Type
TYSR	Regular	TNSR Regular	TVSR	Regular
TYSL	Light Wt.	TNSL Light Wt.	TVSL	Light Wt.
TYSG	LMG Lead-Free	TNSG LMG Lead-Free	TVSG	LMG Lead-Free

Attached Standard

Attached No Binding

Attached Mid-Binding

0.5mm Pb Equivalent Protection

CAT. #	Lead Type	CAT. # Lead Type	CAT. #	Lead Type
TAR	Regular	TCR Regular	TWR	Regular
TAL	Light Wt.	TCL Light Wt.	TWL	Light Wt.
TAG	LMG Lead-Free	TCG LMG Lead-Free	TWG	LMG Lead-Free

0.375mm Pb Equivalent Protection

CAT. #	Lead Type	CAT. # Lead Type	CAT. #	Lead Type
TASR	Regular	TCSR Regular	TWSR	Regular
TASL	Light Wt.	TCSL Light Wt.	TWSL	Light Wt.
TASG	LMG Lead-Free	TCSG LMG Lead-Free	TWSG	LMG Lead-Free



Pediatric

Binding all around means affordable comfort and flexibility.



Mammography

No binding means extra comfort, flexibility and lighter weight.

0.5mm Pb Equivalent Protection

CAT. #	Lead Type	CAT. #	Lead Type
TPR	Regular	TMR	Regular
TPL	Light Wt.	TML	Light Wt.
TPG	LMG Lead-Free	TMG	LMG Lead-Free


0.375mm Pb Equivalent Protection

CAT.#	Lead Type	CAT. #	Lead Type
TPSR	Regular	TMSR	Regular
TPSL	Light Wt.	TMSL	Light Wt.
TPSG	LMG Lead-Free	TMSG	LMG Lead-Free

Buckle Closure

If you prefer buckle closure to regular hook & loop, add "-B" to any of the collar numbers above and an extra charge to the price.

Call for pricing.



Attached Thyroid Collars

All Attached Thyroid Collars include:

- 1) A snap ring for easy collar attachment.
- 2) Attach anytime with tethered strap.
- 3) Unique 2-in-1 pocket design.

[store collar in one pocket and use other pocket for accessories]

Standard, No-Binding, and Mid-Binding collars are 6''tall x 61/2''wide x 24'' strap.



Attached Thyroid option and our unique 2-in-1 pocket design!

NEW ANTI-MICROBIAL FABRIC

Inhibits the growth of bacteria and other microorganisms on the fabric surface



61-Sapphire

NEW DEFAULT FABRIC 61-Sapphire



N911-Stratos



N921-Ocean



N933-Midnight



64-Onyx



65-Amethyst

NATURA Smooth, Soft, Flexible with a Natural Feel



N911-Stratos



N921-Ocean



N933-Midnight



DIAMOND RIPSTOP FABRIC Medium Weight Nylon, Filament Reinforced Fabric



61-Sapphire



62-Ruby



63-Emerald



64-Onyx



65-Amethyst

FEATHER RIPSTOP FABRIC Light Weight Nylon, Filament Reinforced Fabric



R701-Royal Blue



R702-Red



R703-Forest



R704-Black



R705-Chocolate



R706-Navy



R707-Burgundy



R708-Kelly




R709-Charcoal



R710-Gray

NYLON SOLIDS Liquid Repellent, Light & Supple











ADMINISTRATION/MANUFACTURING

7117 Centennial Blvd. Nashville, TN 37209

Orders can be placed online or sent to orders@techno-aide.com

For official Quotes: quotes@techno-aide.com

Any questions can be directed to customerservice@techno-aide.com

P: 800.251.2629 or 615.350.7030

F: 800.554.6275 or 615.350.7879

techno-aide.com